

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Product datasheet for RC204939L4V

## LIAS (NM\_006859) Human Tagged ORF Clone Lentiviral Particle

## **Product data:**

Product Type:	Lentiviral Particles
Product Name:	LIAS (NM_006859) Human Tagged ORF Clone Lentiviral Particle
Symbol:	LIAS
Synonyms:	HGCLAS; HUSSY-01; LAS; LIP1; LS; PDHLD
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-mGFP-P2A-Puro (PS100093)
Tag:	mGFP
ACCN:	NM_006859
ORF Size:	1116 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC204939).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 006859.2</u>
RefSeq Size:	1764 bp
RefSeq ORF:	1119 bp
Locus ID:	11019
UniProt ID:	<u>043766</u>
Cytogenetics:	4p14
Protein Pathways:	Lipoic acid metabolism, Metabolic pathways
MW:	41.9 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary: The protein encoded by this gene belongs to the biotin and lipoic acid synthetases family. Localized in the mitochondrion, this iron-sulfur enzyme catalyzes the final step in the de novo pathway for the biosynthesis of lipoic acid, a potent antioxidant. The deficient expression of this enzyme has been linked to conditions such as diabetes, atherosclerosis and neonatalonset epilepsy. Alternative splicing occurs at this locus, and several transcript variants encoding distinct isoforms have been identified. [provided by RefSeq, Aug 2020]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US