

Product datasheet for RC204962L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PCTAIRE1 (CDK16) (NM_033018) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: PCTAIRE1 (CDK16) (NM_033018) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: PCTAIRE1

Synonyms: PCTAIRE; PCTAIRE1; PCTGAIRE; PCTK1

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide


The ORF insert of this clone is exactly the same as(RC204962).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_033018

ORF Size: 1488 bp





PCTAIRE1 (CDK16) (NM_033018) Human Tagged Lenti ORF Clone - RC204962L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 033018.2</u>, <u>NP 148978.1</u>

 RefSeq Size:
 3280 bp

 RefSeq ORF:
 1509 bp

 Locus ID:
 5127

 UniProt ID:
 Q00536

Cytogenetics: Xp11.3

Domains: pkinase, TyrKc, S_TKc

Protein Families: Druggable Genome, Protein Kinase

MW: 55.7 kDa


Gene Summary: The protein encoded by this gene belongs to the cdc2/cdkx subfamily of the ser/thr family of

protein kinases. It may play a role in signal transduction cascades in terminally differentiated cells; in exocytosis; and in transport of secretory cargo from the endoplasmic reticulum. This gene is thought to escape X inactivation. Alternative splicing results in multiple transcript

variants encoding different isoforms. [provided by RefSeq, Dec 2009]



Product images:



Circular map for RC204962L4