

Product datasheet for RC204994L3

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

PECI (ECI2) (NM_006117) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: PECI (ECI2) (NM_006117) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: PECI

Synonyms: ACBD2; dJ1013A10.3; DRS-1; DRS1; HCA88; PECI

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC204994).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





st The last codon before the Stop codon of the ORF.

ACCN: NM_006117

ORF Size: 1092 bp





PECI (ECI2) (NM_006117) Human Tagged Lenti ORF Clone - RC204994L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 006117.2</u>, <u>NP 006108.2</u>

 RefSeq Size:
 1410 bp

 RefSeq ORF:
 1095 bp

 Locus ID:
 10455

 UniProt ID:
 075521

 Cytogenetics:
 6p25.2

Domains: ACBP, ECH

Protein Pathways: Fatty acid metabolism

MW: 40.2 kDa

Gene Summary: This gene encodes a member of the hydratase/isomerase superfamily. The protein encoded

is a key mitochondrial enzyme involved in beta-oxidation of unsaturated fatty acids. It


catalyzes the transformation of 3-cis and 3-trans-enoyl-CoA esters arising during the stepwise

degradation of cis-, mono-, and polyunsaturated fatty acids to the 2-trans-enoyl-CoA intermediates. Alternatively spliced transcript variants have been described. [provided by

RefSeq, Aug 2011]



Product images:



Circular map for RC204994L3