

Product datasheet for **RC205131**

PPP2R2B (NM_181675) Human Tagged ORF Clone

Product data:

| | |
|---------------------------|---|
| Product Type: | Expression Plasmids |
| Product Name: | PPP2R2B (NM_181675) Human Tagged ORF Clone |
| Tag: | Myc-DDK |
| Symbol: | PPP2R2B |
| Synonyms: | B55BETA; PP2AB55BETA; PP2ABBETA; PP2APR55B; PP2APR55BETA; PR2AB55BETA; PR2ABBETA; PR2APR55BETA; PR52B; PR55-BETA; PR55BETA; SCA12 |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-Entry (PS100001) |
| E. coli Selection: | Kanamycin (25 ug/mL) |



[View online »](#)

ORF Nucleotide Sequence:

>RC205131 ORF sequence
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGAGGAGGACATTGATACCCGAAAAACAACAACGTTTCTGCGCGACCACAGCTATGCGACCGAAG
 CTGACATTATCTCTACGGTAGAATCAACCACACGGGAGAATTACTAGCGACAGGGGACAAGGGGGTCTG
 GGTTGTAATATTTCAACGAGAGCAGGAGAGTAAAAATCAGGTTTCATCGTAGGGGTGAATACAATGTTTAC
 AGCACATTCAGAGCCATGAACCCGAGTTCGATTACCTGAAGAGTTAGAAAATAGAAGAAAAATCAATA
 AAATAAGATGGCTCCCCAGCAGAAATGCAGCTTACTTTCTGTCTACTAATGATAAACTGTGAAGCT
 GTGGAAAGTCAGCGAGCGTGATAAGAGGCCAGAAGGCTACAATCTGAAAGATGAGGAGGGCCGGCTCCGG
 GATCCTGCCACCATCACAAACCTGCGGGTGCCTGTCTGAGACCCATGGACCTGATGGTGGAGGCCACCC
 CACGAAGAGTATTTGCCAACGCACACACATATCACATCAACTCCATATCTGTCAACAGCGACTATGAAAC
 CTACATGTCCGCTGATGACCTGAGGATTAACCTATGGAACCTTTGAAATAACCAATCAAAGTTTTAATATT
 GTGGACATTAAGCCAGCCAACATGGAGGAGCTCACGGAGGTGATCACAGCAGCCGAGTTCACCCCCATC
 ATTGCAACACCTTCGTGTACAGCAGCAGCAAAGGGACAATCCGGCTGTGTGACATGCGGGCATCTGCCCT
 GTGTGACAGGCACACCAAATTTTTGAAGAGCCGGAAGATCCAAGCAACAGATCATTTTTCTCTGAAATT
 ATCTCTTCGATTCGGATGTGAAGTTCAGCCACAGTGGGAGGTATATCATGACCAGGGACTACTTGACCG
 TCAAAGTCTGGGATCTCAACATGGAAAACCGCCCATCGAGACTACCAGGTTTCATGACTACCTCCGCAG
 CAAGCTGTGTTCCCTCTATGAAAATGACTGCATTTTTGATAAATTTGAGTGTGTGGAATGGGTCAGAC
 AGTGTGATCATGACAGGCTCTACAACAACCTTCTCAGGATGTTGACAGAAAACCAAGCGTGTGTGTTGGGGG
 CCCTTGAGGCTTCGAGGGAAAACAGCAAGCCCGGGCTATCCTCAAACCCGAAAAGTGTGTGTGGGGGG
 CAAGCGGAGAAAAGACGAGATCAGTGTGACAGTCTGGACTTTAGCAAAAAGATCTTGCATACAGCTTGG
 CATCCTTCAGAAAATATTATAGCAGTGGCGGCTACAAATAACCTATATATATTCCAGGACAAGGTTAAC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence:

>RC205131 protein sequence
 Red=Cloning site Green=Tags(s)

MEEDIDTRKINNSFLRDHSYATEADIISTVEFNHTGELLATGDKGGRVIVIFQREQESKNQVHRRGEYINVY
 STFQSHEPEFDYLSLEIEEKINKIRWLPQNAAYFLLSTNDKTVKLWVSRDKRPEGYNLKDDEGRLLR
 DPATITTLRVPVLRPMDLMVEATPRRVFANAHTYHINSISVNSDYETYMSADDLRINLWNFEITNQSFNI
 VDIKPANMEELTEVITAAEFHPHCNTFFYSSSGTIRLCDMRASALCDRHTKFFEEPEDPSNRSFFSEI
 ISSISDVKFSHSGRYIMTRDYLTVKVDLNMENRPIETYQVHDYLRSLKCSLYENDCIFDKFECVWNGSD
 SVIMTGSYNNFFRMFDRNTRKRDVTLASRENSKPRAILKPRKVCVGGKRRKDEISVDSLDFSKKILHTAW
 HPSENIIAVAATNNLYIFQDKVN

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms:

https://cdn.origene.com/chromatograms/mk6326_e07.zip

Restriction Sites:

Sgfl-Mlul

Cloning Scheme:


ACCN: NM_181675

ORF Size: 1329 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_181675.4](#)

RefSeq Size: 2098 bp

RefSeq ORF: 1332 bp

Locus ID: 5521

UniProt ID: [Q00005](#)

Cytogenetics: 5q32


Protein Families: Druggable Genome, Phosphatase

Protein Pathways: Tight junction


MW: 51.7 kDa

Gene Summary: The product of this gene belongs to the phosphatase 2 regulatory subunit B family. Protein phosphatase 2 is one of the four major Ser/Thr phosphatases, and it is implicated in the negative control of cell growth and division. It consists of a common heteromeric core enzyme, which is composed of a catalytic subunit and a constant regulatory subunit, that associates with a variety of regulatory subunits. The B regulatory subunit might modulate substrate selectivity and catalytic activity. This gene encodes a beta isoform of the regulatory subunit B55 subfamily. Defects in this gene cause autosomal dominant spinocerebellar ataxia 12 (SCA12), a disease caused by degeneration of the cerebellum, sometimes involving the brainstem and spinal cord, and in resulting in poor coordination of speech and body movements. Multiple alternatively spliced variants, which encode different isoforms, have been identified for this gene. The 5' UTR of some of these variants includes a CAG trinucleotide repeat sequence (7-28 copies) that can be expanded to 55-78 copies in cases of SCA12. [provided by RefSeq, Jul 2016]

Product images:



Circular map for RC205131



Western blot validation of overexpression lysate (Cat# [LY405664]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC205131 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).