

Product datasheet for RC205186L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

LILRB4 (NM_006847) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: LILRB4 (NM_006847) Human Tagged ORF Clone Lentiviral Particle

Symbol: LILRB4

Synonyms: CD85K; HM18; ILT3; LILRB5; LIR-5; LIR5

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag:Myc-DDKACCN:NM_006847

ORF Size: 1344 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC205186).

Sequence:
OTI Disclaimer:

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

The molecular sequence of this clone aligns with the gene accession number as a point of

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 006847.1

 RefSeq Size:
 2097 bp

 RefSeq ORF:
 1346 bp

 Locus ID:
 11006

 Cytogenetics:
 19q13.42

Domains: ig

Protein Families: Transmembrane


MW: 49.3 kDa



Gene Summary:

This gene is a member of the leukocyte immunoglobulin-like receptor (LIR) family, which is found in a gene cluster at chromosomal region 19q13.4. The encoded protein belongs to the subfamily B class of LIR receptors which contain two or four extracellular immunoglobulin domains, a transmembrane domain, and two to four cytoplasmic immunoreceptor tyrosine-based inhibitory motifs (ITIMs). The receptor is expressed on immune cells where it binds to MHC class I molecules on antigen-presenting cells and transduces a negative signal that inhibits stimulation of an immune response. The receptor can also function in antigen capture and presentation. It is thought to control inflammatory responses and cytotoxicity to help focus the immune response and limit autoreactivity. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008]

Product images:



[RC205186L3] was used to prepare Lentiviral particles using [TR30037] packaging kit. HEK293T cells were transduced with RC205186L3V particle to overexpress human LILRB4-Myc-DDK fusion protein.