

Product datasheet for RC205216L4V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

HLAG (HLA-G) (NM_002127) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: HLAG (HLA-G) (NM_002127) Human Tagged ORF Clone Lentiviral Particle

Symbol: HLAG
Synonyms: MHC-G

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

Tag: mGFP

ACCN: NM_002127 **ORF Size:** 1014 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC205216).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 002127.3

 RefSeq Size:
 1578 bp

 RefSeq ORF:
 1017 bp

 Locus ID:
 3135

 UniProt ID:
 P17693

 Cytogenetics:
 6p22.1

Protein Families: Transmembrane





Protein Pathways: Allograft rejection, Antigen processing and presentation, Autoimmune thyroid disease, Cell

adhesion molecules (CAMs), Endocytosis, Graft-versus-host disease, Natural killer cell

mediated cytotoxicity, Type I diabetes mellitus, Viral myocarditis


MW: 38.3 kDa

Gene Summary: HLA-G belongs to the HLA class I heavy chain paralogues. This class I molecule is a

heterodimer consisting of a heavy chain and a light chain (beta-2 microglobulin). The heavy chain is anchored in the membrane. HLA-G is expressed on fetal derived placental cells. The heavy chain is approximately 45 kDa and its gene contains 8 exons. Exon one encodes the leader peptide, exons 2 and 3 encode the alpha1 and alpha2 domain, which both bind the peptide, exon 4 encodes the alpha3 domain, exon 5 encodes the transmembrane region, and

exon 6 encodes the cytoplasmic tail. [provided by RefSeq, Jul 2008]

Product images:



[RC205216L4] was used to prepare Lentiviral particles using [TR30037] packaging kit. HEK293T cells were transduced with RC205216L4V particle to overexpress human HLA-G-mGFP fusion protein.