

Product datasheet for RC205238L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

TBK1 (NM_013254) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: TBK1 (NM_013254) Human Tagged ORF Clone Lentiviral Particle

Symbol: TBK^{*}

Synonyms: FTDALS4; IIAE8; NAK; T2K

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

 Tag:
 Myc-DDK

 ACCN:
 NM_013254

ORF Size: 2187 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC205238).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 013254.2</u>

RefSeq Size: 3098 bp
RefSeq ORF: 2190 bp
Locus ID: 29110
UniProt ID: Q9UHD2
Cytogenetics: 12q14.2

Domains: pkinase, TyrKc, S_TKc

Protein Families: Druggable Genome, Protein Kinase



TBK1 (NM_013254) Human Tagged ORF Clone Lentiviral Particle - RC205238L3V

Protein Pathways: Cytosolic DNA-sensing pathway, RIG-I-like receptor signaling pathway, Toll-like receptor

signaling pathway

MW: 83.6 kDa

Gene Summary: The NF-kappa-B (NFKB) complex of proteins is inhibited by I-kappa-B (IKB) proteins, which

inactivate NFKB by trapping it in the cytoplasm. Phosphorylation of serine residues on the IKB proteins by IKB kinases marks them for destruction via the ubiquitination pathway, thereby allowing activation and nuclear translocation of the NFKB complex. The protein encoded by this gene is similar to IKB kinases and can mediate NFKB activation in response to certain

growth factors. [provided by RefSeq, Oct 2010]