

Product datasheet for RC205256L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

WIF1 (NM_007191) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: WIF1 (NM 007191) Human Tagged ORF Clone Lentiviral Particle

Symbol: WIF1
Synonyms: WIF-1

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

 Tag:
 Myc-DDK

 ACCN:
 NM_007191

 ORF Size:
 1137 bp

ORF Nucleotide

Sequence:

The ORF insert of this clone is exactly the same as(RC205256).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 007191.3</u>

 RefSeq Size:
 2240 bp

 RefSeq ORF:
 1140 bp

 Locus ID:
 11197

 UniProt ID:
 Q9Y5W5

 Cytogenetics:
 12q14.3

Domains: WIF, EGF, EGF



WIF1 (NM_007191) Human Tagged ORF Clone Lentiviral Particle - RC205256L3V

Protein Families: Cancer stem cells, Druggable Genome, ES Cell Differentiation/IPS, Secreted Protein, Stem cell

relevant signaling - Wnt Signaling pathway

Protein Pathways: Wnt signaling pathway

MW: 41.5 kDa

Gene Summary: The protein encoded by this gene functions to inhibit WNT proteins, which are extracellular

signaling molecules that play a role in embryonic development. This protein contains a WNT inhibitory factor (WIF) domain and five epidermal growth factor (EGF)-like domains, and is thought to be involved in mesoderm segmentation. This gene functions as a tumor suppressor gene, and has been found to be epigenetically silenced in various cancers.

[provided by RefSeq, Jun 2010]