

## Product datasheet for **RC205289L1V**

### **G protein alpha inhibitor 1 (GNAI1) (NM\_002069) Human Tagged ORF Clone Lentiviral Particle**

#### **Product data:**

Product Type:	Lentiviral Particles
Product Name:	G protein alpha inhibitor 1 (GNAI1) (NM_002069) Human Tagged ORF Clone Lentiviral Particle
Symbol:	G protein alpha inhibitor 1
Synonyms:	Gi
Mammalian Cell Selection:	None
Vector:	pLenti-C-Myc-DDK (PS100064)
Tag:	Myc-DDK
ACCN:	NM_002069
ORF Size:	1062 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC205289).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<a href="#">NM_002069.4</a>
RefSeq Size:	3342 bp
RefSeq ORF:	1065 bp
Locus ID:	2770
UniProt ID:	<a href="#">P63096</a>
Cytogenetics:	7q21.11
Domains:	G-alpha



[View online »](#)

<b>Protein Families:</b>	Druggable Genome
<b>Protein Pathways:</b>	Axon guidance, Chemokine signaling pathway, Gap junction, Leukocyte transendothelial migration, Long-term depression, Melanogenesis, Progesterone-mediated oocyte maturation, Tight junction
<b>MW:</b>	40.2 kDa
<b>Gene Summary:</b>	Guanine nucleotide binding proteins are heterotrimeric signal-transducing molecules consisting of alpha, beta, and gamma subunits. The alpha subunit binds guanine nucleotide, can hydrolyze GTP, and can interact with other proteins. The protein encoded by this gene represents the alpha subunit of an inhibitory complex. The encoded protein is part of a complex that responds to beta-adrenergic signals by inhibiting adenylate cyclase. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jan 2012]