

Product datasheet for RC205292L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PDE1A (NM 005019) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: PDE1A (NM_005019) Human Tagged ORF Clone Lentiviral Particle

Symbol:

CAM-PDE-1A; CAM-PDE 1A; HCAM-1; HCAM1; HSPDE1A Synonyms:

Mammalian Cell

Selection:

None

Vector: pLenti-C-Myc-DDK (PS100064)

Myc-DDK Tag: NM 005019 ACCN:

ORF Size: 1635 bp

ORF Nucleotide

Sequence:

The ORF insert of this clone is exactly the same as(RC205292).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 005019.3

RefSeq Size: 4918 bp RefSeq ORF: 1638 bp Locus ID: 5136 **UniProt ID:** P54750 Cytogenetics: 2q32.1

Domains: PDEase

Protein Families: Druggable Genome





PDE1A (NM_005019) Human Tagged ORF Clone Lentiviral Particle - RC205292L1V

Protein Pathways: Calcium signaling pathway, Progesterone-mediated oocyte maturation, Purine metabolism,

Taste transduction

MW: 62.3 kDa

Gene Summary: Cyclic nucleotide phosphodiesterases (PDEs) play a role in signal transduction by regulating

intracellular cyclic nucleotide concentrations through hydrolysis of cAMP and/or cGMP to their respective nucleoside 5-prime monophosphates. Members of the PDE1 family, such as PDE1A, are Ca(2+)/calmodulin (see CALM1; MIM 114180)-dependent PDEs (CaM-PDEs) that are activated by calmodulin in the presence of Ca(2+) (Michibata et al., 2001 [PubMed 11342109]; Fidock et al., 2002 [PubMed 11747989]).[supplied by OMIM, Oct 2009]