

## **Product datasheet for RC205313**

## TAC1 (NM 003182) Human Tagged ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: TAC1 (NM\_003182) Human Tagged ORF Clone

Tag: Myc-DDK

Symbol: TAC1

Synonyms: Hs.2563; NK2; NKNA; NPK; TAC2

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC205313 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGAAAATCCTCGTGGCCTTGGCAGTCTTTTTTCTTGTCTCCACTCAGCTGTTTGCAGAAGAAATAGGAGCCAATGATGATCTGAATTACTGGTCCGACTGGTACGACAGCGACCAGATCAAGGAGGAACTGCCGGAGCCCTTTGAGCATCTTCTGCAGAGAATCGCCCGGAGACCCAAGCCTCAGCAGTTCTTTGGATTAATGGGCAAACCGGGATGCTGATTCCTCAATTGAAAAACAAGTGGCCCTGTTAAAGGCTCTTTATGGACATGCCAGATCTCTCACAAAAGACATAAAAACAGATTCCTTTGTTGGACTAATGGGCAAAAGAGCTTTAAATTCTGTGGCTTA

TGAAAGGAGTGCAATGCAGAATTATGAAAGAAGACGT

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAG**GTTTAA** 

**Protein Sequence:** >RC205313 protein sequence

Red=Cloning site Green=Tags(s)

MKILVALAVFFLVSTQLFAEEIGANDDLNYWSDWYDSDQIKEELPEPFEHLLQRIARRPKPQQFFGLMGK

RDADSSIEKQVALLKALYGHGQISHKRHKTDSFVGLMGKRALNSVAYERSAMQNYERRR

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: <a href="https://cdn.origene.com/chromatograms/mk6312">https://cdn.origene.com/chromatograms/mk6312</a> a10.zip

**Restriction Sites:** Sgfl-Mlul




**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Cloning Scheme:**





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_003182

ORF Size: 387 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeg:** NM 003182.3

RefSeq Size: 1188 bp
RefSeq ORF: 390 bp
Locus ID: 6863
UniProt ID: P20366



Cytogenetics: 7q21.3

**Domains:** Tachykinin, TK

**Protein Families:** Druggable Genome, Secreted Protein


**MW:** 15 kDa

**Gene Summary:** This gene encodes four products of the tachykinin peptide hormone family, substance P and

neurokinin A, as well as the related peptides, neuropeptide K and neuropeptide gamma. These hormones are thought to function as neurotransmitters which interact with nerve receptors and smooth muscle cells. They are known to induce behavioral responses and function as vasodilators and secretagogues. Substance P is an antimicrobial peptide with antibacterial and antifungal properties. Multiple transcript variants encoding different

isoforms have been found for this gene. [provided by RefSeq, Nov 2014]

## **Product images:**



Circular map for RC205313