

Product datasheet for RC205381L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Adenosine A1 Receptor (ADORA1) (NM_001048230) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: Adenosine A1 Receptor (ADORA1) (NM_001048230) Human Tagged ORF Clone Lentiviral

Particle

Symbol: Adenosine A1 Receptor

Synonyms: RDC7

Mammalian Cell Pu

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK

ACCN: NM_001048230

ORF Size: 978 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as (RC205381).

OTI Disclaimer:

Sequence:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: NM 001048230.1, NP 001041695.1

 RefSeq Size:
 2782 bp

 RefSeq ORF:
 981 bp

 Locus ID:
 134

 UniProt ID:
 P30542

Cytogenetics: 1q32.1

Protein Families: Druggable Genome, GPCR, Transmembrane





Protein Pathways: Neuroactive ligand-receptor interaction

MW: 36.5 kDa

Gene Summary: The protein encoded by this gene is an adenosine receptor that belongs to the G-protein

coupled receptor 1 family. There are 3 types of adenosine receptors, each with a specific pattern of ligand binding and tissue distribution, and together they regulate a diverse set of physiologic functions. The type A1 receptors inhibit adenylyl cyclase, and play a role in the fertilization process. Animal studies also suggest a role for A1 receptors in kidney function and ethanol intoxication. Transcript variants with alternative splicing in the 5' UTR have been

found for this gene. [provided by RefSeq, Jul 2008]