

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC205389L3V

GSTM1 (NM_146421) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	GSTM1 (NM_146421) Human Tagged ORF Clone Lentiviral Particle
Symbol:	GSTM1
Synonyms:	GST1; GSTM1-1; GSTM1a-1a; GSTM1b-1b; GTH4; GTM1; H-B; MU; MU-1
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Tag:	Myc-DDK
ACCN:	NM_146421
ORF Size:	543 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC205389).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 146421.1</u>
RefSeq Size:	1155 bp
RefSeq ORF:	546 bp
Locus ID:	2944
UniProt ID:	<u>P09488</u>
Cytogenetics:	1p13.3
Protein Families:	Druggable Genome



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US Protein Pathways:Drug metabolism - cytochrome P450, Glutathione metabolism, Metabolism of xenobiotics by
cytochrome P450MW:21.3 kDaGene Summary:Cytosolic and membrane-bound forms of glutathione S-transferase are encoded by two
distinct supergene families. At present, eight distinct classes of the soluble cytoplasmic
mammalian glutathione S-transferases have been identified: alpha, kappa, mu, omega, pi,
sigma, theta and zeta. This gene encodes a glutathione S-transferase that belongs to the mu
class. The mu class of enzymes functions in the detoxification of electrophilic compounds,
including carcinogens, therapeutic drugs, environmental toxins and products of oxidative

stress, by conjugation with glutathione. The genes encoding the mu class of enzymes are organized in a gene cluster on chromosome 1p13.3 and are known to be highly polymorphic. These genetic variations can change an individual's susceptibility to carcinogens and toxins as well as affect the toxicity and efficacy of certain drugs. Null mutations of this class mu gene

have been linked with an increase in a number of cancers, likely due to an increased susceptibility to environmental toxins and carcinogens. Multiple protein isoforms are

encoded by transcript variants of this gene. [provided by RefSeq, Jul 2008]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US