

### Product datasheet for RC205435L3

# DPP10 (NM\_020868) Human Tagged Lenti ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

Product Name: DPP10 (NM 020868) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: DPP10

Synonyms: DPL2; DPPY; DPRP-3; DPRP3

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)


**ORF Nucleotide** The ORF insert of this clone is exactly the same as(RC205435).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF.

**ACCN:** NM\_020868

ORF Size: 2388 bp



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



#### DPP10 (NM\_020868) Human Tagged Lenti ORF Clone - RC205435L3

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 020868.2</u>

 RefSeq Size:
 5253 bp

 RefSeq ORF:
 2391 bp

 Locus ID:
 57628

 UniProt ID:
 Q8N608

 Cytogenetics:
 2q14.1

**Domains:** Peptidase\_S9, DPPIV\_N\_term

**Protein Families:** Druggable Genome, Protease, Transmembrane

**MW:** 90.9 kDa

**Gene Summary:** This gene encodes a single-pass type II membrane protein that is a member of the S9B family


in clan SC of the serine proteases. This protein has no detectable protease activity, most likely due to the absence of the conserved serine residue normally present in the catalytic domain of serine proteases. However, it does bind specific voltage-gated potassium channels and alters their expression and biophysical properties. Mutations in this gene have been

associated with asthma. Alternate transcriptional splice variants, encoding different isoforms,

have been characterized. [provided by RefSeq, Jul 2008]



## **Product images:**



Circular map for RC205435L3