

Product datasheet for RC205488L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Liprin alpha 1 (PPFIA1) (NM_003626) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Liprin alpha 1 (PPFIA1) (NM_003626) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Liprin alpha 1

Synonyms: LIP.1; LIP1; LIPRIN

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide


The ORF insert of this clone is exactly the same as(RC205488).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_003626

ORF Size: 3606 bp





Liprin alpha 1 (PPFIA1) (NM_003626) Human Tagged Lenti ORF Clone - RC205488L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 003626.2</u>

RefSeq Size: 5353 bp
RefSeq ORF: 3609 bp
Locus ID: 8500
UniProt ID: Q13136

Cytogenetics: 11q13.3

Domains: SAM

Protein Families: Druggable Genome, Phosphatase

MW: 135.6 kDa

Gene Summary: The protein encoded by this gene is a member of the LAR protein-tyrosine phosphatase-

interacting protein (liprin) family. Liprins interact with members of LAR family of

transmembrane protein tyrosine phosphatases, which are known to be important for axon


guidance and mammary gland development. This protein binds to the intracellular

membrane-distal phosphatase domain of tyrosine phosphatase LAR, and appears to localize LAR to cell focal adhesions. This interaction may regulate the disassembly of focal adhesion and thus help orchestrate cell-matrix interactions. Alternatively spliced transcript variants

encoding distinct isoforms have been described. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC205488L4