

## Product datasheet for RC205542L1V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## C6orf57 (SDHAF4) (NM\_145267) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** C6orf57 (SDHAF4) (NM\_145267) Human Tagged ORF Clone Lentiviral Particle

Symbol: C6orf57

Synonyms: C6orf57; Sdh8

Mammalian Cell

Selection:

None

**Vector:** pLenti-C-Myc-DDK (PS100064)

Tag: Myc-DDK

**ACCN:** NM\_145267 **ORF Size:** 324 bp

ORF Nucleotide

Sequence:

The ORF insert of this clone is exactly the same as(RC205542).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 145267.2

RefSeq Size: 526 bp
RefSeq ORF: 327 bp
Locus ID: 135154
UniProt ID: Q5VUM1
Cytogenetics: 6q13

**Protein Families:** Secreted Protein

**MW:** 12.2 kDa





## **Gene Summary:**

Plays an essential role in the assembly of succinate dehydrogenase (SDH), an enzyme complex (also referred to as respiratory complex II) that is a component of both the tricarboxylic acid (TCA) cycle and the mitochondrial electron transport chain, and which couples the oxidation of succinate to fumarate with the reduction of ubiquinone (coenzyme Q) to ubiquinol (PubMed:24954416). Binds to the flavoprotein subunit SDHA in its FAD-bound form, blocking the generation of excess reactive oxigen species (ROS) and facilitating its assembly with the iron-sulfur protein subunit SDHB into the SDH catalytic dimer (By similarity).[UniProtKB/Swiss-Prot Function]