

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Product datasheet for RC205623L3V

## EIF4A2 (NM\_001967) Human Tagged ORF Clone Lentiviral Particle

## **Product data:**

Product Type:	Lentiviral Particles
Product Name:	EIF4A2 (NM_001967) Human Tagged ORF Clone Lentiviral Particle
Symbol:	EIF4A2
Synonyms:	BM-010; DDX2B; eIF-4A-II; EIF4A; eIF4A-II; EIF4F
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
Tag:	Myc-DDK
ACCN:	NM_001967
ORF Size:	1221 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC205623).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 001967.3</u>
RefSeq Size:	1905 bp
RefSeq ORF:	1224 bp
Locus ID:	1974
UniProt ID:	<u>Q14240</u>
Cytogenetics:	3q27.3
Domains:	DEAD, helicase_C
MW:	46.4 kDa



View online »

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:ATP-dependent RNA helicase which is a subunit of the eIF4F complex involved in cap<br/>recognition and is required for mRNA binding to ribosome. In the current model of<br/>translation initiation, eIF4A unwinds RNA secondary structures in the 5'-UTR of mRNAs which<br/>is necessary to allow efficient binding of the small ribosomal subunit, and subsequent<br/>scanning for the initiator codon.[UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US