

Product datasheet for RC205651L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Angiopoietin like 4 (ANGPTL4) (NM_139314) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Angiopoietin like 4 (ANGPTL4) (NM_139314) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: Angiopoietin like 4

Synonyms: ARP4; FIAF; HARP; HFARP; NL2; PGAR; pp1158; TGQTL; UNQ171

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide


The ORF insert of this clone is exactly the same as(RC205651).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_139314

ORF Size: 1218 bp



Angiopoietin like 4 (ANGPTL4) (NM_139314) Human Tagged Lenti ORF Clone - RC205651L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 139314.1</u>

 RefSeq Size:
 1905 bp

 RefSeq ORF:
 1221 bp

 Locus ID:
 51129

 UniProt ID:
 Q9BY76

 Cytogenetics:
 19p13.2

Protein Families: Druggable Genome, Secreted Protein

Protein Pathways: PPAR signaling pathway

MW: 45.2 kDa

Gene Summary: This gene encodes a glycosylated, secreted protein containing a C-terminal fibrinogen


domain. The encoded protein is induced by peroxisome proliferation activators and functions as a serum hormone that regulates glucose homeostasis, lipid metabolism, and insulin sensitivity. This protein can also act as an apoptosis survival factor for vascular endothelial cells and can prevent metastasis by inhibiting vascular growth and tumor cell invasion. The C-

terminal domain may be proteolytically-cleaved from the full-length secreted protein. Decreased expression of this gene has been associated with type 2 diabetes. Alternative splicing results in multiple transcript variants. This gene was previously referred to as

ANGPTL2 but has been renamed ANGPTL4. [provided by RefSeq, Sep 2013]



Product images:



Circular map for RC205651L3