

Product datasheet for **RC205666**

Neurokinin B (TAC3) (NM_013251) Human Tagged ORF Clone

Product data:

| | |
|---------------------------|-------------------------------------------------------------------|
| Product Type: | Expression Plasmids |
| Product Name: | Neurokinin B (TAC3) (NM_013251) Human Tagged ORF Clone |
| Tag: | Myc-DDK |
| Symbol: | Neurokinin B |
| Synonyms: | HH10; LncZBTB39; NK3; NKB; NKNB; PRO1155; ZNEUROK1 |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-Entry (PS100001) |
| E. coli Selection: | Kanamycin (25 ug/mL) |
| ORF Nucleotide Sequence: | >RC205666 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s) |

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGAGGATCATGCTGCTATTCACAGCCATCCTGGCCTTCAGCCTAGCTCAGAGCTTTGGGGCTGTCTGTA
AGGAGCCACAGGAGGAGGTGTTCTGGCGGGGGCCGAGCAAGAGGGATCCAGATCTCTACCAGCTGCT
CCAGAGACTCTTCAAAGCCACTCATCTCTGGAGGGATTGCTCAAAGCCCTGAGCCAGGCTAGCACAGAT
CCTAAGGAATCAACATCTCCCGAGAAACGTGACATGCATGACTTCTTTGGGACTTATGGCAAGAGGA
GCGTCCAGCCAGACTCTCTACGGATGTGAATCAAGAGAACGTCCCAGCTTTGGCATCCTCAAGTATCC
CCCGAGAGCAGAA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

| | |
|-------------------|--------------------------------------------------------------|
| Protein Sequence: | >RC205666 protein sequence Red=Cloning site Green=Tags(s) |
|-------------------|--------------------------------------------------------------|

MRIMLLFTAILAFSLAQSFQAVCKEPQEEVVPGGGRSKRDPDL YQLLQRLFKSHSLEGLLKALSQASTD
PKESTSPEKRDHDFVGLMGKRSVQPDSPDQENVPSFGILKYPPRAE

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6065_f12.zip

Restriction Sites: SgfI-MluI



[View online »](#)

Cloning Scheme:


ACCN: NM_013251

ORF Size: 363 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

- Reconstitution Method:**
1. Centrifuge at 5,000xg for 5min.
 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
 3. Close the tube and incubate for 10 minutes at room temperature.
 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_013251.4](#)

RefSeq Size: 841 bp

RefSeq ORF: 366 bp


Locus ID: 6866

UniProt ID: [Q9UHF0](#)


Cytogenetics: 12q13.3
Domains: Neurokinin_B
Protein Families: Druggable Genome, Secreted Protein
MW: 13.4 kDa

Gene Summary: This gene encodes a member of the tachykinin family of secreted neuropeptides. The encoded preproprotein is proteolytically processed to generate the mature peptide, which is primarily expressed in the central and peripheral nervous systems and functions as a neurotransmitter. This peptide is the ligand for the neurokinin-3 receptor. This protein is also expressed in the outer syncytiotrophoblast of the placenta and may be associated with pregnancy-induced hypertension and pre-eclampsia. Mutations in this gene are associated with normosmic hypogonadotropic hypogonadism. Alternative splicing results in multiple transcript variants, at least one of which encodes an isoform that is proteolytically processed. [provided by RefSeq, Feb 2016]


Product images:



Circular map for RC205666



Western blot validation of overexpression lysate (Cat# [LY415710]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC205666 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified TAC3 protein (Cat# [TP305666]). The protein was produced from HEK293T cells transfected with TAC3 cDNA clone (Cat# RC205666) using MegaTran 2.0 (Cat# [TT210002]).