

### Product datasheet for RC205723L4

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Proteasome subunit beta type 4 (PSMB4) (NM\_002796) Human Tagged Lenti ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: Proteasome subunit beta type 4 (PSMB4) (NM\_002796) Human Tagged Lenti ORF Clone

Tag: mGFP

**Symbol:** Proteasome subunit beta type 4

Synonyms: HN3; HsN3; PRAAS3; PROS-26; PROS26

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC205723).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_002796

ORF Size: 792 bp





#### Proteasome subunit beta type 4 (PSMB4) (NM\_002796) Human Tagged Lenti ORF Clone -RC205723L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

> reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

NM 002796.2 RefSeq:

RefSeq Size: 925 bp RefSeq ORF: 795 bp Locus ID: 5692 **UniProt ID:** P28070

Cytogenetics: 1q21.3 Domains:

Druggable Genome, Protease **Protein Families:** 

proteasome

**Protein Pathways:** Proteasome

29 kDa MW:


**Gene Summary:** The proteasome is a multicatalytic proteinase complex with a highly ordered ring-shaped 20S

> core structure. The core structure is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. This gene encodes a member of the proteasome B-type family, also known as the T1B family,

that is a 20S core beta subunit. [provided by RefSeg, Jul 2008]



# **Product images:**



Circular map for RC205723L4