

Product datasheet for RC205726L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

VKORC1L1 (NM_173517) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: VKORC1L1 (NM_173517) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: VKORC1L1
Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide


The ORF insert of this clone is exactly the same as(RC205726).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_173517

ORF Size: 528 bp



VKORC1L1 (NM_173517) Human Tagged Lenti ORF Clone - RC205726L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeg: NM 173517.3

RefSeq Size: 5913 bp
RefSeq ORF: 531 bp
Locus ID: 154807
UniProt ID: Q8N0U8

Cytogenetics: 7q11.21

Protein Families: Transmembrane

MW: 19.8 kDa

Gene Summary: This gene encodes an enzyme important in the vitamin K cycle, which is involved in the

carboxylation of glutamate residues present in vitamin K-dependent proteins. The encoded

enzyme catalyzes the de-epoxidation of vitamin K 2,3-epoxide. Oxidative stress may


upregulate expression of this gene and the encoded protein may protect cells and membrane

proteins form oxidative damage. This gene and a related gene (Gene ID: 79001) may have

arisen by gene duplication of an ancestral gene. [provided by RefSeq, Oct 2016]



Product images:



Circular map for RC205726L3