

Product datasheet for RC205727L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Kindlin 2 (FERMT2) (NM_006832) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Kindlin 2 (FERMT2) (NM 006832) Human Tagged Lenti ORF Clone

Tag: mGFP
Symbol: Kindlin 2

Synonyms: KIND2; mig-2; MIG2; PLEKHC1; UNC112; UNC112B

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)


E. coli Selection: Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC205727).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF.

ACCN: NM_006832

ORF Size: 2040 bp



Kindlin 2 (FERMT2) (NM_006832) Human Tagged Lenti ORF Clone - RC205727L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 006832.1</u>, <u>NP 006823.1</u>

RefSeq Size: 3351 bp
RefSeq ORF: 2043 bp
Locus ID: 10979
UniProt ID: Q96AC1
Cytogenetics: 14q22.1

MW: 77.9 kDa

Gene Summary: Scaffolding protein that enhances integrin activation mediated by TLN1 and/or TLN2, but


activates integrins only weakly by itself. Binds to membranes enriched in phosphoinositides. Enhances integrin-mediated cell adhesion onto the extracellular matrix and cell spreading; this requires both its ability to interact with integrins and with phospholipid membranes. Required for the assembly of focal adhesions. Participates in the connection between extracellular matrix adhesion sites and the actin cytoskeleton and also in the orchestration of

actin assembly and cell shape modulation. Recruits FBLIM1 to focal adhesions. Plays a role in the TGFB1 and integrin signaling pathways. Stabilizes active CTNNB1 and plays a role in the regulation of transcription mediated by CTNNB1 and TCF7L2/TCF4 and in Wnt signaling.


[UniProtKB/Swiss-Prot Function]



Product images:



Circular map for RC205727L4



Double digestion of RC205727L4 using Sgfl and Mlul