

# Product datasheet for RC205742L3


# MKKS (NM\_170784) Human Tagged Lenti ORF Clone

### **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

| Expression Plasmids   |
|---|
| MKKS (NM_170784) Human Tagged Lenti ORF Clone   |
| Myc-DDK   |
| MKKS  |
| BBS6; HMCS; KMS; MKS  |
| Puromycin   |
| pLenti-C-Myc-DDK-P2A-Puro (PS100092)  |
| Chloramphenicol (34 ug/mL)  |
| The ORF insert of this clone is exactly the same as(RC205742).                              |
| Sgfl-Mlul   |
| Cloning sites used for ORF Shuttling:<br>Sgf I ORF Miu I<br>GCG ATC GC C ATG // NNN ACG CGT |
|   |



ACCN: ORF Size: NM\_170784 1710 bp



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


|                        | (NM_170784) Human Tagged Lenti ORF Clone – RC205742L3  |
|------------------------|--|
| OTI Disclaimer:        | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>  |
| OTI Annotation:        | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.   |
| Components:            | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).   |
| Reconstitution Method: | <ol> <li>Centrifuge at 5,000xg for 5min.</li> <li>Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>Close the tube and incubate for 10 minutes at room temperature.</li> <li>Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>   |
| RefSeq:                | <u>NM 170784.1</u>   |
| RefSeq Size:           | 2960 bp  |
| RefSeq ORF:            | 1713 bp  |
| Locus ID:              | 8195   |
| UniProt ID:            | <u>Q9NPJ1</u>  |
| Cytogenetics:          | 20p12.2  |
| MW:                    | 62.3 kDa   |
| Gene Summary:          | This gene encodes a protein which shares sequence similarity with other members of the type II chaperonin family. The encoded protein is a centrosome-shuttling protein and plays an important role in cytokinesis. This protein also interacts with other type II chaperonin members to form a complex known as the BBSome, which involves ciliary membrane biogenesis. This protein is encoded by a downstream open reading frame (dORF). Several upstream open reading frames (uORFs) have been identified, which repress the translation of the dORF, and two of which can encode small mitochondrial membrane proteins. Mutations |

in this gene have been observed in patients with Bardet-Biedl syndrome type 6, also known as

McKusick-Kaufman syndrome. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Nov 2013]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

# **Product images:**



Circular map for RC205742L3

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2024 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US