

Product datasheet for RC205747L1

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

IL36RN (NM_173170) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: IL36RN (NM_173170) Human Tagged Lenti ORF Clone

Tag: Myc-DDK
Symbol: IL36RN

Synonyms: FIL1; FIL1(DELTA); FIL1D; IL-36Ra; IL1F5; IL1HY1; IL1L1; IL1RP3; IL36RA; PSORP; PSORS14

Mammalian Cell None

Selection:

Vector:pLenti-C-Myc-DDK (PS100064)E. coli Selection:Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC205747).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_173170

ORF Size: 465 bp





IL36RN (NM_173170) Human Tagged Lenti ORF Clone - RC205747L1

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 173170.1</u>, <u>NP 775262.1</u>

RefSeq Size: 2689 bp
RefSeq ORF: 468 bp
Locus ID: 26525
UniProt ID: Q9UBH0
Cytogenetics: 2q14.1

Protein Families: Druggable Genome, Secreted Protein

MW: 17 kDa


Gene Summary: The protein encoded by this gene is a member of the interleukin 1 cytokine family. This

cytokine was shown to specifically inhibit the activation of NF-kappaB induced by interleukin 1 family, member 6 (IL1F6). This gene and eight other interleukin 1 family genes form a cytokine gene cluster on chromosome 2. Two alternatively spliced transcript variants encoding the


same protein have been reported. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC205747L1



Double digestion of RC205747L1 using Sgfl and Mlul