

Product datasheet for RC205805

QRX (RAX2) (NM_032753) Human Tagged ORF Clone

Product data:

| | |
|---------------------------|---|
| Product Type: | Expression Plasmids |
| Product Name: | QRX (RAX2) (NM_032753) Human Tagged ORF Clone |
| Tag: | Myc-DDK |
| Symbol: | QRX |
| Synonyms: | ARMD6; CORD11; QRX; RAXL1 |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-Entry (PS100001) |
| E. coli Selection: | Kanamycin (25 ug/mL) |
| ORF Nucleotide Sequence: | >RC205805 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s) |

TTTGTAAACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCCCGCATCGCC

ATGTTCTGAGCCCGGGCGAGGGCCGGCAACCGAGGGTGGGGTCTGGGGCCGGGCGAGGAGGCCCA
 AGAAGAAGCACCAGGAGGAACCGACACCTTACCACCTACCAGCTGCACAGCTGGAGCGGGCGTTTCA
 GGCTCTCACTACCCGGATGTGTACAGCCGTGAGGAGCTGGCAGCAAGGTGCACCTACCTGAGGTGCGC
 GTGCAGGTGTGGTTCCAGAACCCTGGGCAAGTGGCGCCGCGAGGAGCGGTGGAGTCAAGCTCGGGT
 CCGTGGCAGCTCCGAGACTCCCCGAGGCCCCAGCGCTGCCGTTTCCCCGCCCCCGGCCATGTCGCTGCC
 CCTGGAGCCCTGGTTGGGCCCGGACCGCCGCGCGTGGCAGGCTCCCCGCCTCCTGGGCCCGGGCCCG
 GGGCTGAAGCGTCCTTCGGGCCTCATGCTTTGCTCCACCTTCGCAGATGGCTTCGCCCTGGAGGAGG
 CGTCCCTGCGGCTGCTGGCAAGGAACATGCACAGGCTCTGGACAGGCGCTGGCCGCGAGCC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

| | |
|-------------------|--|
| Protein Sequence: | >RC205805 protein sequence Red=Cloning site Green=Tags(s) |
|-------------------|--|

MFLSPGEGPATEGGLGPGEAPKKKHRRNRRTFTTYQLHQLERAFAESHYPDVYSREELAAKVHLPEVR
 VQVWFQNRRAKWRQRLESGGAVAAPRLPEAPALPFARPPAMSLPLEPWLGPGPAPVGLPRLLGPGP
 GLQASFGPHAFPTFADGFALEELRLAKEHAQALDRAWPPA

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

| | |
|----------------|---|
| Chromatograms: | https://cdn.origene.com/chromatograms/mk6420_a06.zip |
|----------------|---|


[View online »](#)

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_032753

ORF Size: 552 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.


RefSeq: [NM_032753.4](#)

RefSeq Size: 2190 bp


RefSeq ORF: 555 bp

| | |
|-------------------|--|
| Locus ID: | 84839 |
| UniProt ID: | Q96IS3 |
| Cytogenetics: | 19p13.3 |
| Protein Families: | Transcription Factors |
| MW: | 20.1 kDa |
| Gene Summary: | This gene encodes a homeodomain-containing protein that plays a role in eye development. Mutation of this gene causes age-related macular degeneration type 6, an eye disorder resulting in accumulations of protein and lipid beneath the retinal pigment epithelium and within the Bruch's membrane. Defects in this gene can also cause cone-rod dystrophy type 11, a disease characterized by the initial degeneration of cone photoreceptor cells and resulting in loss of color vision and visual acuity, followed by the degeneration of rod photoreceptor cells, which progresses to night blindness and the loss of peripheral vision. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jan 2016] |

Product images:



Circular map for RC205805



Western blot validation of overexpression lysate (Cat# [LY409960]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC205805 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).