

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Product datasheet for RC205821L1V

## TPX2 (NM\_012112) Human Tagged ORF Clone Lentiviral Particle

## **Product data:**

Product Type:	Lentiviral Particles
Product Name:	TPX2 (NM_012112) Human Tagged ORF Clone Lentiviral Particle
Symbol:	TPX2
Synonyms:	C20orf1; C20orf2; DIL-2; DIL2; FLS353; GD:C20orf1; HCA519; HCTP4; p100; REPP86
Mammalian Cell Selection:	None
Vector:	pLenti-C-Myc-DDK (PS100064)
Tag:	Myc-DDK
ACCN:	NM_012112
ORF Size:	2241 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC205821).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 012112.4</u>
RefSeq Size:	3685 bp
RefSeq ORF:	2244 bp
Locus ID:	22974
UniProt ID:	<u>Q9ULW0</u>
Cytogenetics:	20q11.21
Protein Families:	Druggable Genome, Stem cell - Pluripotency
MW:	85.7 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:Spindle assembly factor required for normal assembly of mitotic spindles. Required for<br/>normal assembly of microtubules during apoptosis. Required for chromatin and/or<br/>kinetochore dependent microtubule nucleation. Mediates AURKA localization to spindle<br/>microtubules (PubMed:18663142, PubMed:19208764). Activates AURKA by promoting its<br/>autophosphorylation at 'Thr-288' and protects this residue against dephosphorylation<br/>(PubMed:18663142, PubMed:19208764). TPX2 is inactivated upon binding to importin-alpha<br/>(PubMed:26165940). At the onset of mitosis, GOLGA2 interacts with importin-alpha, liberating<br/>TPX2 from importin-alpha, allowing TPX2 to activates AURKA kinase and stimulates local<br/>microtubule nucleation (PubMed:26165940).[UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US