

## Product datasheet for RC205829L1V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## NPL4 (NPLOC4) (NM 017921) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

Product Name: NPL4 (NPLOC4) (NM\_017921) Human Tagged ORF Clone Lentiviral Particle

Symbol: NPL4
Synonyms: NPL4
Mammalian Cell None

Selection:

Vector:

pLenti-C-Myc-DDK (PS100064)

 Tag:
 Myc-DDK

 ACCN:
 NM\_017921

 ORF Size:
 1824 bp

**ORF Nucleotide** 

OTI Disclaimer:

The ODE

Sequence:

The ORF insert of this clone is exactly the same as(RC205829).

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 017921.1

RefSeq Size: 4401 bp
RefSeq ORF: 1827 bp
Locus ID: 55666
UniProt ID: Q8TAT6
Cytogenetics: 17q25.3

**Domains:** zf-RanBP, zf-NPL4, NPL4

MW: 68.1 kDa





## **Gene Summary:**

The ternary complex containing UFD1, VCP and NPLOC4 binds ubiquitinated proteins and is necessary for the export of misfolded proteins from the ER to the cytoplasm, where they are degraded by the proteasome. The NPLOC4-UFD1-VCP complex regulates spindle disassembly at the end of mitosis and is necessary for the formation of a closed nuclear envelope (By similarity). Acts as a negative regulator of type I interferon production via the complex formed with VCP and UFD1, which binds to DDX58/RIG-I and recruits RNF125 to promote ubiquitination and degradation of DDX58/RIG-I (PubMed:26471729).[UniProtKB/Swiss-Prot Function]