

## Product datasheet for RC205880L3

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## KDEL Receptor (KDELR1) (NM\_006801) Human Tagged Lenti ORF Clone

### **Product data:**

**Product Type:** Expression Plasmids

Product Name: KDEL Receptor (KDELR1) (NM\_006801) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: KDEL Receptor

Synonyms: ERD2; ERD2.1; HDEL; PM23

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clo

Sequence:

The ORF insert of this clone is exactly the same as(RC205880).

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





 $<sup>\</sup>ensuremath{^*}$  The last codon before the Stop codon of the ORF.

ACCN: NM\_006801

ORF Size: 636 bp



#### KDEL Receptor (KDELR1) (NM\_006801) Human Tagged Lenti ORF Clone - RC205880L3

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 006801.2</u>

 RefSeq Size:
 1575 bp

 RefSeq ORF:
 639 bp

 Locus ID:
 10945

 UniProt ID:
 P24390

 Cytogenetics:
 19q13.33

**Domains:** ER lumen recept

**Protein Families:** Druggable Genome, Transmembrane

**Protein Pathways:** Vibrio cholerae infection

MW: 24.5 kDa

**Gene Summary:** Retention of resident soluble proteins in the lumen of the endoplasmic reticulum (ER) is


achieved in both yeast and animal cells by their continual retrieval from the cis-Golgi, or a pre-Golgi compartment. Sorting of these proteins is dependent on a C-terminal tetrapeptide

signal, usually lys-asp-glu-leu (KDEL) in animal cells, and his-asp-glu-leu (HDEL) in S. cerevisiae. This process is mediated by a receptor that recognizes, and binds the tetrapeptide-containing protein, and returns it to the ER. In yeast, the sorting receptor encoded by a single gene, ERD2, which is a seven-transmembrane protein. Unlike yeast, several human homologs of the ERD2 gene, constituting the KDEL receptor gene family, have been described. The protein encoded by this gene was the first member of the family to be identified, and it encodes a protein structurally and functionally similar to the yeast ERD2


gene product. [provided by RefSeq, Jul 2008]



# **Product images:**



Circular map for RC205880L3



Double digestion of RC205880L3 using Sgfl and Mlul  $\,$