

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC205916L2V

ST2 (IL1RL1) (NM_003856) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type:	Lentiviral Particles
Product Name:	ST2 (IL1RL1) (NM_003856) Human Tagged ORF Clone Lentiviral Particle
Symbol:	ST2
Synonyms:	DER4; FIT-1; IL33R; ST2; ST2L; ST2V; T1
Mammalian Cell Selection:	None
Vector:	pLenti-C-mGFP (PS100071)
Tag:	mGFP
ACCN:	NM_003856
ORF Size:	984 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC205916).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<u>NM 003856.2</u>
RefSeq Size:	3909 bp
RefSeq ORF:	987 bp
Locus ID:	9173
UniProt ID:	<u>Q01638</u>
Cytogenetics:	2q12.1
Protein Families:	Druggable Genome, Secreted Protein, Transmembrane
MW:	37 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:The protein encoded by this gene is a member of the interleukin 1 receptor family. Studies of
the similar gene in mouse suggested that this receptor can be induced by proinflammatory
stimuli, and may be involved in the function of helper T cells. This gene, interleukin 1
receptor, type I (IL1R1), interleukin 1 receptor, type II (IL1R2) and interleukin 1 receptor-like 2
(IL1RL2) form a cytokine receptor gene cluster in a region mapped to chromosome 2q12.
Alternative splicing of this gene results in multiple transcript variants. [provided by RefSeq, Jul
2008]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US