

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC205954L1V

MAEL (NM_032858) Human Tagged ORF Clone Lentiviral Particle

Product data:

| Due du et True et | |
|------------------------------|---|
| Product Type: | Lentiviral Particles |
| Product Name: | MAEL (NM_032858) Human Tagged ORF Clone Lentiviral Particle |
| Symbol: | MAEL |
| Synonyms: | CT128; SPATA35 |
| Mammalian Cell Selection: | None |
| Vector: | pLenti-C-Myc-DDK (PS100064) |
| Tag: | Myc-DDK |
| ACCN: | NM_032858 |
| ORF Size: | 1302 bp |
| ORF Nucleotide Sequence: | The ORF insert of this clone is exactly the same as(RC205954). |
| OTI Disclaimer: | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u> |
| OTI Annotation: | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene. |
| RefSeq: | <u>NM 032858.1</u> |
| RefSeq Size: | 1942 bp |
| RefSeq ORF: | 1305 bp |
| Locus ID: | 84944 |
| UniProt ID: | Q96JY0 |
| Cytogenetics: | 1q24.1 |
| MW: | 49.2 kDa |



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary: Plays a central role during spermatogenesis by repressing transposable elements and preventing their mobilization, which is essential for the germline integrity. Acts via the piRNA metabolic process, which mediates the repression of transposable elements during meiosis by forming complexes composed of piRNAs and Piwi proteins and governs the methylation and subsequent repression of transposons. Its association with piP-bodies suggests a participation in the secondary piRNAs metabolic process. Required for the localization of germ-cell factors to the meiotic nuage (By similarity).[UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US