

## Product datasheet for **RC206009**

### beta COP (COPB1) (NM\_016451) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	beta COP (COPB1) (NM_016451) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	beta COP
Synonyms:	BARMACS; COPB
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide  
Sequence:

>RC206009 ORF sequence  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGCATCGCC**

ATGACGGCGGCTGAGAACGTATGCTACACGTTAATTAACGTGCCAATGGATTGAGAACACCACATCTGAAA  
TTAGCTTAAAAAATGATCTAGAAAAAGGAGATGTAAGTCAAAGACTGAAGCTTTGAAGAAAGTAATCAT  
TATGATTCTGAATGGTGA AAAAATCTCTGGACTTCTGATGACCATCATTGTTTTGTGCTACCTCTTCAG  
GATCACACTATCAAGAAATTA CTCTGGTATTTTGGGAAATGTTCTAAAACAACTCCAGATGGGAGAC  
TTTTACATGAGATGATCCTTGTATGTATGCATACAGAAAGGATCTTCAACATCCTAATGAATTTATTTCG  
AGGATCTACTCTCGTTTTCTTTCGAAATGAAAGAAGCAGAATTGCTAGAACCTTTAATGCCAGCTATT  
CGTGATGTTTTGGAGCATCGACACAGCTATGTTAGAAGAAATGCTGTTTTGGCCATCTATACCATCTATA  
GAAATTTTGAACATCTTATACCTGATGCTCCTGAACTGATACATGATTTTCTGGTGAATGAGAAGGATGC  
AAGTTGCAAAAGGAATGCATTTATGATGCTAATTCATGCAGATCAGGATCGAGCTTTGGATTACTTAAGT  
ACTTGCATTGATCAAGTTCAAACATTTGGAGACATTTCTGCAGCTGGTTATTGTTGAACTGATTTATAAGG  
TCTGTCATGCTAATCCATCAGAAAGAGCTCGTTTTATTGCTGCATCTATAACTTATTACAGTCATCCAG  
CCCTGCTGTA AAAATATGAAGCTGCTGGGACATTAGTGACACTCTCTAGTGACCAACTGCAATCAAGGCT  
GCTGCTCAGTGTTACATTGATTTAATTATTAAGGAGAGCGACAACAATGTA AAACTCATAGTTTTGGATC  
GCTTGATAGAATTAAGAGCATCCTGCTCATGAACGAGTACTACAGGATCTGGTTATGGATATCCTAAG  
AGTATTGAGCACACCAGACTTAGAAGTACGAAAGAAAACCTCTGCAGTTAGCACTGGATCTTGTCTCTTCT  
AGAAATGTTGAAGAGCTGGTTATTGCTGGAAGGAAGTATAAAAACAATAATGTGTCTGAGCATG  
AAGACTGACAAAATACAGACAACCTCTAGTGC GAACATTGCATTCCTGTTCTGTCCGATTTCCAGATAT  
GGCTGCAAAATGTTATTCCTGTGTTAATGGAATTTCTCAGTGACAACAACGAAGCAGCAGCTGCTGATGTC  
TTGGAGTTTGTTCGTGAAGCCATTCAGCGCTTTGATAACCTGAGAATGCTTATTGTTGAGAAGATGCTTG  
AAGCTTTTCATGCTATTAATCTGTCAAGATTTACCGAGGAGCATTATGGATCCTGGGAGAATACTGTAG  
TACCAAGGAAGACATTCAGAGTGTGATGACTGAGATCCGCAGGTCCTTGGAGAGATCCCAATTGTAGAG  
TCAGAAAATAAGAAAGAGCTGGTGAATTA AACCTGAAGAAGAAATAACTGTAGGGCCAGTTCAGAAAT  
TGGTTACTGAAATGGGTACCTATGCAACTCAGAGTGCCCTTAGCAGTTCTAGACCCACCAAGAAAGAGGA  
AGACAGACCTCCCTTGAGAGGATTCCTTCTGGATGGAGATTTCTTTGTTGCTGCCTCCCTTGCCACAAC  
CTGACCAAGATTGCATTGCGCTATGTAGCTTTGGTTTCAGGAGAAGAAAAGCAAAATTTCTTTGTTGCTG  
AGGCTATGTTGCTCATGGCTACTATCCTGCATTTGGGAAAATCCTCTCTCCTAAGAAGCCAATTA CTGA  
TGATGATGTGGATCGAATTTCCCTGTGCCTCAAGGCTTTGCTGTAATGTTACCTTTAATGAATGACATT  
TTCAATAAGGAATGCAGACAGTCCCTTTCTCACATGTTATCTGCTAAACTAGAAGAAGAGAAATTA CCC  
AAAAGAAAGAAATCTGAAAAGAGGAATGTGACAGTACAGCCTGATGACCCCATTTCTTTCATGCAACTAAC  
TGCTAAGAATGAAATGAACTGCAAGGAAGATCAGTTTCAGCTGAGTTTACTGGCAGCAATGGGTAACACA  
CAGAGGAAAGAGGCAGCAGATCCCCTAGCATCTAAACTTAACAAGGTCACCCAATTGACAGGTTTCTCAG  
ATCCTGTATATGCAGAAGCTTACGTTTATGTCAACCAATATGATATTGCTCCTGGATGACTTGTGTTGAA  
CCAAACCAGTGATACTTTGCAGAATTGCACATTAAGA ACTAGCTACACTAGGGGATCTGAAACTTGTGGAA  
AAGCCGTCCTTTGACTCTTGCTCCTCATGACTTCGCAAAATATAAGCTAACGTCAAAGTAGCATCAA  
CAGAAAATGGAATAATTTTTGGTAATATAGTTTATGATGTCTCTGGAGCAGCAAGTGACAGAAAATGTGT  
GGTTCTCAGTGATATTCACATCGACATCATGGACTATATCCAGCCTGCAACTTGCACTGATGCAGAAATC  
CGTCAGATGTGGGCCGAATTTGAATGGGAAAACAAAGTGACAGTTAACACCAACATGGTTGATTTAAATG  
ACTACTTACAGCACATATAAAGTCAACCAATATGAAATGCTGACTCCAGAAAAGGCCCTTTCTGGTTA  
CTGTGGCTTTATGGCAGCCAACCTTTATGCTCGTTCCATATTTGGTGAAGATGCACTTGCAAAATGCAGC  
ATTGAGAAGCCAATTCACAGGGACCAGATGCTGCTGTTACCGGCCATATAAGAATTCGTGCAAAGAGCC  
AGGAATGGCCTTAAGTCTTGAGATAAAATCAACTTGTACAGAAAGAAAAGTAGTATA

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC206009 protein sequence  
 Red=Cloning site Green=Tags(s)

MTAAENVCYTLINVPMDSEPPSEISLKNLDEKGDVKSKEALKKVIIMILNGEKLPGLLMTIIRFVLPLO  
 DHTIKKLLLVFWEIVPKTTPDGRLLHEMILVCDAYRKDLQHPNEFIRGSTLRFLCKLKEAELLEPLMPAI  
 RACLEHRHSYVRRNAVLAIYTIYRNFEHLIPDAPELIHDFLVNEKDASCKRNAFMMLIHADQDRALDYLS  
 TCIDQVQTFGDILQLVIVELIYKVCHANPSEARAFIRCIYNLLQSSSPAVKYEAAGTLVTLSSAPTAIKA  
 AAQCYIDLIIKESDNNVKLIVLDRLIELKEHPAHERVLQDLVMDILRVLSTPDLEVRKKTQLALDLVSS  
 RNVEELVIVLKKEVIKTNVSEHEDTDKYRQLLVRTLHSCSVRFPDMAANVIPVLMFLSDNNEAAAADV  
 LEFVREAIQRFDNLRMLIVEKMLEVFHAIKSVKIYRGALWILGEYCSTKEDIQSVMTIIRSLGEIPIVE  
 SEIKKEAGELKPEEEITVGPVQKLVTEMGTYATQSALSSSRPTKKEEDRPLRGFLLDGDDFFVAASLATT  
 LTKIALRYVALVQEKKKQNSFVAEAMLLMATILHLGKSSLPKKPIITDDDVDRI SLCKVLSECSPLMNDI  
 FNKECRQSLSHMLSAKLEEEKLSQKKESEKRNVTVQDDPISFMQLTAKNEMNCKEDQFQLSLLAAMGNT  
 QRKEAADPLASKLNKVTQLTGFSDPVYAEAYVHVNOYDIDLVDL VVNQTSDTLQNCTLELATLGDCLKVE  
 KPSPPLTAPHDFANIKANVKVASTENGIIFGNIVYDVSGAASDRNCVVLSDIHIDIMDYIQPATCTDAEF  
 RQMWAEFEWENKVTVNTNMVDLNDYLQHILKSTNMKCLTPEKALSGYCGFMAANLYARSIFGEDALANVS  
 IEKPIHQGPDAAVTGHIRIRAKSQGMALSLGDKINLSQKKTISI


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: [https://cdn.origene.com/chromatograms/mk6201\\_c10.zip](https://cdn.origene.com/chromatograms/mk6201_c10.zip)

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:




\* The last codon before the Stop codon of the ORF

ACCN: NM\_016451


ORF Size: 2859 bp

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>Note:</b>	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
<b>RefSeq:</b>	<a href="#">NM_016451.4</a>
<b>RefSeq Size:</b>	3490 bp
<b>RefSeq ORF:</b>	2862 bp
<b>Locus ID:</b>	1315
<b>UniProt ID:</b>	<a href="#">P53618</a>
<b>Cytogenetics:</b>	11p15.2
<b>Domains:</b>	Adaptin_N
<b>MW:</b>	107.1 kDa
<b>Gene Summary:</b>	This gene encodes a protein subunit of the coatamer complex associated with non-clathrin coated vesicles. The coatamer complex, also known as the coat protein complex 1, forms in the cytoplasm and is recruited to the Golgi by activated guanosine triphosphatases. Once at the Golgi membrane, the coatamer complex may assist in the movement of protein and lipid components back to the endoplasmic reticulum. Alternatively spliced transcript variants have been described. [provided by RefSeq, Jan 2009]


Product images:



Circular map for RC206009



Western blot validation of overexpression lysate (Cat# [LY428489]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with [RC227862] using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified COPB1 protein (Cat# [TP306009]). The protein was produced from HEK293T cells transfected with COPB1 cDNA clone (Cat# RC206009) using MegaTran 2.0 (Cat# [TT210002]).