

## Product datasheet for RC206152L1V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## EGLN2 (NM\_053046) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

Product Type: Lentiviral Particles

**Product Name:** EGLN2 (NM\_053046) Human Tagged ORF Clone Lentiviral Particle

Symbol: EGLN2

Synonyms: EIT-6; EIT6; HIF-PH1; HIFPH1; HPH-1; HPH-3; PHD1

Mammalian Cell

Selection:

None

**Vector:** pLenti-C-Myc-DDK (PS100064)

Tag:Myc-DDKACCN:NM\_053046

ORF Size: 1221 bp

**ORF Nucleotide** 

The ORF insert of this clone is exactly the same as(RC206152).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeg:** NM 053046.2

 RefSeq Size:
 2264 bp

 RefSeq ORF:
 1224 bp

 Locus ID:
 112398

 UniProt ID:
 Q96KS0

 Cytogenetics:
 19q13.2

**Protein Families:** Druggable Genome

**Protein Pathways:** Pathways in cancer, Renal cell carcinoma





ORIGENE

**MW:** 43.7 kDa

Gene Summary:

The hypoxia inducible factor (HIF) is a transcriptional complex that is involved in oxygen homeostasis. At normal oxygen levels, the alpha subunit of HIF is targeted for degration by prolyl hydroxylation. This gene encodes an enzyme responsible for this post-translational modification. Alternative splicing results in multiple transcript variants. Read-through transcription also exists between this gene and the upstream RAB4B (RAB4B, member RAS oncogene family) gene. [provided by RefSeq, Feb 2011]