

## Product datasheet for RC206171L3

### KDEL2 (POGLUT3) (NM\_153705) Human Tagged Lenti ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	KDEL2 (POGLUT3) (NM_153705) Human Tagged Lenti ORF Clone
Tag:	Myc-DDK
Symbol:	POGLUT3
Synonyms:	KDEL2
Mammalian Cell Selection:	Puromycin
Vector:	pLenti-C-Myc-DDK-P2A-Puro (PS100092)
E. coli Selection:	Chloramphenicol (34 ug/mL)
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC206171).
Restriction Sites:	SgfI-MluI
Cloning Scheme:	

Cloning sites used for ORF Shuttling:



\* The last codon before the Stop codon of the ORF.

ACCN:	NM_153705
ORF Size:	1521 bp



[View online »](#)

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
<b>RefSeq:</b>	<a href="#">NM_153705.2</a>
<b>RefSeq Size:</b>	4311 bp
<b>RefSeq ORF:</b>	1524 bp
<b>Locus ID:</b>	143888
<b>UniProt ID:</b>	<a href="#">Q7Z4H8</a>
<b>Cytogenetics:</b>	11q22.3
<b>Domains:</b>	CAP10
<b>MW:</b>	58.5 kDa
<b>Gene Summary:</b>	Protein glucosyltransferase that catalyzes the transfer of glucose from UDP-glucose to a serine residue within the consensus sequence peptide C-X-N-T-X-G-S-F-X-C (PubMed:30127001). Can also catalyze the transfer of xylose from UDP-xylose but less efficiently (PubMed:30127001). Specifically targets extracellular EGF repeats of proteins such as NOTCH1 and NOTCH3 (PubMed:30127001). May regulate the transport of NOTCH1 and NOTCH3 to the plasma membrane and thereby the Notch signaling pathway (PubMed:30127001).[UniProtKB/Swiss-Prot Function]