

Product datasheet for RC206235L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Silencer of Death Domain (BAG4) (NM_004874) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Silencer of Death Domain (BAG4) (NM_004874) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Silencer of Death Domain

Synonyms: BAG-4; SODD

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone


Sequence:

The ORF insert of this clone is exactly the same as(RC206235).

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_004874

ORF Size: 1371 bp



Silencer of Death Domain (BAG4) (NM_004874) Human Tagged Lenti ORF Clone - RC206235L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 004874.2</u>

 RefSeq Size:
 4478 bp

 RefSeq ORF:
 1374 bp

 Locus ID:
 9530

 UniProt ID:
 095429

Cytogenetics: 8p11.23

Domains: BAG

Protein Families: Druggable Genome

MW: 49.6 kDa


Gene Summary: The protein encoded by this gene is a member of the BAG1-related protein family. BAG1 is an

anti-apoptotic protein that functions through interactions with a variety of cell apoptosis and growth related proteins including BCL-2, Raf-protein kinase, steroid hormone receptors, growth factor receptors and members of the heat shock protein 70 kDa family. This protein contains a BAG domain near the C-terminus, which could bind and inhibit the chaperone activity of Hsc70/Hsp70. This protein was found to be associated with the death domain of tumor necrosis factor receptor type 1 (TNF-R1) and death receptor-3 (DR3), and thereby negatively regulates downstream cell death signaling. The regulatory role of this protein in cell death was demonstrated in epithelial cells which undergo apoptosis while integrin mediated matrix contacts are lost. Alternatively spliced transcript variants encoding distinct

isoforms have been identified. [provided by RefSeq, Mar 2011]



Product images:



Circular map for RC206235L4