

Product datasheet for RC206271L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Heparin Cofactor II (SERPIND1) (NM_000185) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Heparin Cofactor II (SERPIND1) (NM_000185) Human Tagged Lenti ORF Clone

Tag: mGFP

Symbol: Heparin Cofactor II

Synonyms: D22S673; HC2; HCF2; HCII; HLS2; LS2; THPH10

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide


The ORF insert of this clone is exactly the same as(RC206271).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_000185

ORF Size: 1497 bp



Heparin Cofactor II (SERPIND1) (NM_000185) Human Tagged Lenti ORF Clone - RC206271L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 000185.3</u>

 RefSeq Size:
 2237 bp

 RefSeq ORF:
 1500 bp

 Locus ID:
 3053

 UniProt ID:
 P05546

Cytogenetics: 22q11.21

Domains:

Protein Families: Druggable Genome

Protein Pathways: Complement and coagulation cascades

SERPIN

MW: 57 kDa


Gene Summary: This gene belongs to the serpin gene superfamily. Serpins play roles in many processes

including inflammation, blood clotting, and cancer metastasis. Members of this family have highly conserved secondary structures with a reactive center loop that interacts with the protease active site to inhibit protease activity. This gene encodes a plasma serine protease that functions as a thrombin and chymotrypsin inhibitor. The protein is activated by heparin, dermatan sulfate, and glycosaminoglycans. Allelic variations in this gene are associated with

heparin cofactor II deficiency. [provided by RefSeq, Jul 2015]



Product images:



Circular map for RC206271L4