

# Product datasheet for RC206293L4


# PEX12 (NM\_000286) Human Tagged Lenti ORF Clone

### **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

| Product Type:                | Expression Plasmids  |
|------------------------------|--|
| Product Name:                | PEX12 (NM_000286) Human Tagged Lenti ORF Clone   |
| Tag:                         | mGFP   |
| Symbol:                      | PEX12  |
| Synonyms:                    | PAF-3; PBD3A   |
| Mammalian Cell<br>Selection: | Puromycin  |
| Vector:                      | pLenti-C-mGFP-P2A-Puro (PS100093)  |
| E. coli Selection:           | Chloramphenicol (34 ug/mL)   |
| ORF Nucleotide<br>Sequence:  | The ORF insert of this clone is exactly the same as(RC206293).                                   |
| <b>Restriction Sites:</b>    | Sgfl-Mlul  |
| Cloning Scheme:              |  |
|                              | Cloning sites used for ORF Shuttling:  |
|                              | Sgf I         ORF         Mlu I           [GCG ATC GC]         ATG//         NNN         ACG CGT |



ACCN: ORF Size: NM\_000286 1077 bp



View online »


This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

| PEX12 (NM_000286) Human Tagged Lenti ORF Clone – RC206293L4 |  |
|---|--|
| OTI Disclaimer:   | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>  |
| OTI Annotation:   | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.   |
| Components:   | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).   |
| Reconstitution Method:                                      | <ol> <li>Centrifuge at 5,000xg for 5min.</li> <li>Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>Close the tube and incubate for 10 minutes at room temperature.</li> <li>Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>   |
| RefSeq:   | <u>NM 000286.1</u>   |
| RefSeq Size:  | 2693 bp  |
| RefSeq ORF:   | 1080 bp  |
| Locus ID:   | 5193   |
| UniProt ID:   | 000623   |
| Cytogenetics:   | 17q12  |
| Domains:  | Pex2_Pex12   |
| MW:   | 40.8 kDa   |
| Gene Summary:   | This gene belongs to the peroxin-12 family. Peroxins (PEXs) are proteins that are essential for<br>the assembly of functional peroxisomes. The peroxisome biogenesis disorders (PBDs) are a<br>group of genetically heterogeneous autosomal recessive, lethal diseases characterized by<br>multiple defects in peroxisome function. The peroxisomal biogenesis disorders are a<br>heterogeneous group with at least 14 complementation groups and with more than 1<br>phenotype being observed in cases falling into particular complementation groups. Although |

heterogeneous group with at least 14 complementation groups and with more than 1 phenotype being observed in cases falling into particular complementation groups. Although the clinical features of PBD patients vary, cells from all PBD patients exhibit a defect in the import of one or more classes of peroxisomal matrix proteins into the organelle. Defects in this gene are a cause of Zellweger syndrome (ZWS). [provided by RefSeq, Oct 2008]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

# **Product images:**



Circular map for RC206293L4

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US