

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for RC206346L1V

SECISBP2 (NM_024077) Human Tagged ORF Clone Lentiviral Particle

Product data:

Lentiviral Particles
SECISBP2 (NM_024077) Human Tagged ORF Clone Lentiviral Particle
SECISBP2
SBP2
None
pLenti-C-Myc-DDK (PS100064)
Myc-DDK
NM_024077
2562 bp
The ORF insert of this clone is exactly the same as(RC206346).
The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<u>NM 024077.3</u>
3535 bp
2565 bp
79048
<u>Q96T21</u>
9q22.2
Ribosomal_L7Ae
95.4 kDa



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



Gene Summary:The protein encoded by this gene is one of the essential components of the machinery
involved in co-translational insertion of selenocysteine (Sec) into selenoproteins. Sec is
encoded by the UGA codon, which normally signals translation termination. The recoding of
UGA as Sec codon requires a Sec insertion sequence (SECIS) element; present in the 3'
untranslated regions of eukaryotic selenoprotein mRNAs. This protein specifically binds to the
SECIS element, which is stimulated by a Sec-specific translation elongation factor. Mutations
in this gene have been associated with reduction in enzymatic activity of type II iodothyronine
deiodinase (a selenoprotein) and abnormal thyroid hormone metabolism. Alternatively
spliced transcript variants have been found for this gene. [provided by RefSeq, Aug 2017]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US