

Product datasheet for **RC206386L3V**

LNX1 (NM_032622) Human Tagged ORF Clone Lentiviral Particle

Product data:

| | |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Type: | Lentiviral Particles |
| Product Name: | LNX1 (NM_032622) Human Tagged ORF Clone Lentiviral Particle |
| Symbol: | LNX1 |
| Synonyms: | LNX; MPDZ; PDZRN2 |
| Mammalian Cell Selection: | Puromycin |
| Vector: | pLenti-C-Myc-DDK-P2A-Puro (PS100092) |
| Tag: | Myc-DDK |
| ACCN: | NM_032622 |
| ORF Size: | 1896 bp |
| ORF Nucleotide Sequence: | The ORF insert of this clone is exactly the same as(RC206386). |
| OTI Disclaimer: | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info |
| OTI Annotation: | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene. |
| RefSeq: | NM_032622.1 |
| RefSeq Size: | 2930 bp |
| RefSeq ORF: | 1899 bp |
| Locus ID: | 84708 |
| UniProt ID: | Q8TBB1 |
| Cytogenetics: | 4q12 |
| Domains: | PDZ |
| Protein Families: | Druggable Genome |



[View online »](#)

MW: 69.6 kDa

Gene Summary: This gene encodes a membrane-bound protein that is involved in signal transduction and protein interactions. The encoded product is an E3 ubiquitin-protein ligase, which mediates ubiquitination and subsequent proteasomal degradation of proteins containing phosphotyrosine binding (PTB) domains. This protein may play an important role in tumorigenesis. Alternatively spliced transcript variants encoding distinct isoforms have been described. A pseudogene, which is located on chromosome 17, has been identified for this gene. [provided by RefSeq, Jul 2008]