

Product datasheet for RC206429L3

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CD16 (FCGR3A) (NM_000569) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: CD16 (FCGR3A) (NM_000569) Human Tagged Lenti ORF Clone

Tag: Myc-DDK

Symbol: CD16

Synonyms: CD16; CD16A; FCG3; FCGR3; FCGRIII; FCR-10; FCRIIIA; IGFR3; IMD20

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone:


Sequence:

The ORF insert of this clone is exactly the same as(RC206429).

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





 $[\]ensuremath{^*}$ The last codon before the Stop codon of the ORF.

ACCN: NM_000569

ORF Size: 870 bp





CD16 (FCGR3A) (NM_000569) Human Tagged Lenti ORF Clone - RC206429L3

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 000569.6</u>

RefSeq Size:2406 bpRefSeq ORF:765 bpLocus ID:2214

UniProt ID: P08637
Cytogenetics: 1q23.3

Domains: ig, IG

Protein Families: ES Cell Differentiation/IPS, Secreted Protein, Transmembrane

Protein Pathways: Fc gamma R-mediated phagocytosis, Natural killer cell mediated cytotoxicity, Systemic lupus

erythematosus


MW: 32.64 kDa



Gene Summary:

This gene encodes a receptor for the Fc portion of immunoglobulin G, and it is involved in the removal of antigen-antibody complexes from the circulation, as well as other responses, including antibody dependent cellular mediated cytotoxicity and antibody dependent enhancement of virus infections. This gene (FCGR3A) is highly similar to another nearby gene (FCGR3B) located on chromosome 1. The receptor encoded by this gene is expressed on natural killer (NK) cells as an integral membrane glycoprotein anchored through a transmembrane peptide, whereas FCGR3B is expressed on polymorphonuclear neutrophils (PMN) where the receptor is anchored through a phosphatidylinositol (PI) linkage. Mutations in this gene are associated with immunodeficiency 20, and have been linked to susceptibility to recurrent viral infections, susceptibility to systemic lupus erythematosus, and alloimmune neonatal neutropenia. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Aug 2020]

Product images:



Double digestion of RC206429L3 using Sgfl and Miul