

## Product datasheet for **RC206531L2V**

### **RAMP2 (NM\_005854) Human Tagged ORF Clone Lentiviral Particle**

#### **Product data:**

Product Type:	Lentiviral Particles
Product Name:	RAMP2 (NM_005854) Human Tagged ORF Clone Lentiviral Particle
Symbol:	RAMP2
Mammalian Cell Selection:	None
Vector:	pLenti-C-mGFP (PS100071)
Tag:	mGFP
ACCN:	NM_005854
ORF Size:	525 bp
ORF Nucleotide Sequence:	The ORF insert of this clone is exactly the same as(RC206531).
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
RefSeq:	<a href="#">NM_005854.2</a>
RefSeq Size:	808 bp
RefSeq ORF:	528 bp
Locus ID:	10266
UniProt ID:	<a href="#">O60895</a>
Cytogenetics:	17q21.2
Domains:	RAMP
Protein Families:	Druggable Genome, Transmembrane
Protein Pathways:	Vascular smooth muscle contraction



[View online »](#)

**MW:** 19.6 kDa

**Gene Summary:** The protein encoded by this gene is a member of the RAMP family of single-transmembrane-domain proteins, called receptor (calcitonin) activity modifying proteins (RAMPs). RAMPs are type I transmembrane proteins with an extracellular N terminus and a cytoplasmic C terminus. RAMPs are required to transport calcitonin-receptor-like receptor (CRLR) to the plasma membrane. CRLR, a receptor with seven transmembrane domains, can function as either a calcitonin-gene-related peptide (CGRP) receptor or an adrenomedullin receptor, depending on which members of the RAMP family are expressed. In the presence of this (RAMP2) protein, CRLR functions as an adrenomedullin receptor. The RAMP2 protein is involved in core glycosylation and transportation of adrenomedullin receptor to the cell surface. [provided by RefSeq, Jul 2008]