

Product datasheet for RC206540L3V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

B7-1 (CD80) (NM_005191) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: B7-1 (CD80) (NM_005191) Human Tagged ORF Clone Lentiviral Particle

Symbol: B7-1

Synonyms: B7; B7-1; B7.1; BB1; CD28LG; CD28LG1; LAB7

Mammalian Cell

Selection:

Puromycin

Vector: pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag: Myc-DDK
ACCN: NM_005191

ORF Size: 864 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC206540).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 005191.3

 RefSeq Size:
 2757 bp

 RefSeq ORF:
 867 bp

 Locus ID:
 941

 UniProt ID:
 P33681

 Cytogenetics:
 3q13.33

Domains: ig

Protein Families: Druggable Genome, Transcription Factors, Transmembrane





B7-1 (CD80) (NM_005191) Human Tagged ORF Clone Lentiviral Particle - RC206540L3V

Protein Pathways: Allograft rejection, Autoimmune thyroid disease, Cell adhesion molecules (CAMs), Graft-

versus-host disease, Systemic lupus erythematosus, Toll-like receptor signaling pathway,

Type I diabetes mellitus, Viral myocarditis

MW: 33 kDa

Gene Summary: The protein encoded by this gene is a membrane receptor that is activated by the binding of

CD28 or CTLA-4. The activated protein induces T-cell proliferation and cytokine production. This protein can act as a receptor for adenovirus subgroup B and may play a role in lupus

neuropathy. [provided by RefSeq, Aug 2011]