

Product datasheet for RC206549L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

FIGF (VEGFD) (NM_004469) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: FIGF (VEGFD) (NM_004469) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: VEGFD

Synonyms: FIGF; VEGF-D

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC206549).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_004469

ORF Size: 1062 bp



FIGF (VEGFD) (NM_004469) Human Tagged Lenti ORF Clone - RC206549L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 004469.2</u>

 RefSeq Size:
 2084 bp

 RefSeq ORF:
 1065 bp

 Locus ID:
 2277

 UniProt ID:
 043915

Cytogenetics: Xp22.2

Protein Families: Druggable Genome, Secreted Protein

Protein Pathways: Bladder cancer, Cytokine-cytokine receptor interaction, Focal adhesion, mTOR signaling

pathway, Pancreatic cancer, Pathways in cancer, Renal cell carcinoma

MW: 40.4 kDa

Gene Summary: The protein encoded by this gene is a member of the platelet-derived growth factor/vascular

endothelial growth factor (PDGF/VEGF) family and is active in angiogenesis,


lymphangiogenesis, and endothelial cell growth. This secreted protein undergoes a complex proteolytic maturation, generating multiple processed forms which bind and activate VEGFR-2

and VEGFR-3 receptors. This protein is structurally and functionally similar to vascular endothelial growth factor C. Read-through transcription has been observed between this

locus and the upstream PIR (GeneID 8544) locus. [provided by RefSeq, Feb 2011]



Product images:



Circular map for RC206549L4