

## Product datasheet for RC206623L3V

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Adenosine A2b Receptor (ADORA2B) (NM\_000676) Human Tagged ORF Clone Lentiviral Particle

**Product data:** 

**Product Type:** Lentiviral Particles

**Product Name:** Adenosine A2b Receptor (ADORA2B) (NM\_000676) Human Tagged ORF Clone Lentiviral

Particle

**Symbol:** Adenosine A2b Receptor

Synonyms: ADORA2

Mammalian Cell

Selection:

Puromycin

**Vector:** pLenti-C-Myc-DDK-P2A-Puro (PS100092)

Tag:Myc-DDKACCN:NM\_000676

ORF Size: 996 bp

**ORF Nucleotide** 

Sequence:

The ORF insert of this clone is exactly the same as(RC206623).

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**RefSeq:** <u>NM 000676.2</u>, <u>NP 000667.1</u>

 RefSeq Size:
 1885 bp

 RefSeq ORF:
 999 bp

 Locus ID:
 136

 UniProt ID:
 P29275

 Cytogenetics:
 17p12

Domains: 7tm 1





## Adenosine A2b Receptor (ADORA2B) (NM\_000676) Human Tagged ORF Clone Lentiviral Particle – RC206623L3V

**Protein Families:** Druggable Genome, GPCR, Transmembrane

**Protein Pathways:** Calcium signaling pathway, Neuroactive ligand-receptor interaction, Vascular smooth muscle

contraction

MW: 36.3 kDa

Gene Summary: This gene encodes an adenosine receptor that is a member of the G protein-coupled receptor

superfamily. This integral membrane protein stimulates adenylate cyclase activity in the presence of adenosine. This protein also interacts with netrin-1, which is involved in axon elongation. The gene is located near the Smith-Magenis syndrome region on chromosome

17. [provided by RefSeq, Jul 2008]