

Product datasheet for RC206635L4

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

LECT1 (CNMD) (NM_001011705) Human Tagged Lenti ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: LECT1 (CNMD) (NM_001011705) Human Tagged Lenti ORF Clone

Tag: mGFP Symbol: LECT1

Synonyms: BRICD3; CHM-I; CHM1; LECT1; MYETS1

Mammalian Cell Puromycin

Selection:

Vector: pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)

ORF Nucleotide The ORF insert of this clone is exactly the same as(RC206635).

Sequence:

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001011705

ORF Size: 999 bp



LECT1 (CNMD) (NM_001011705) Human Tagged Lenti ORF Clone - RC206635L4

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

> reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

NM 001011705.1 RefSeq:

RefSeq Size: 1535 bp RefSeq ORF: 1002 bp Locus ID: 11061 **UniProt ID:** O75829

Cytogenetics:

13q14.3 **Protein Families:** Secreted Protein, Transmembrane

MW: 36.97 kDa

Gene Summary: This gene encodes a glycosylated transmembrane protein that is cleaved to form a mature,

> surfactant proteins and is sometimes called chondrosurfactant protein although no biological activity has yet been defined for it. The C-terminus of the precursor protein contains a 25 kDa mature protein called leukocyte cell-derived chemotaxin-1 or chondromodulin-1. The mature protein promotes chondrocyte growth and inhibits angiogenesis. This gene is expressed in the avascular zone of prehypertrophic cartilage and its expression decreases during chondrocyte hypertrophy and vascular invasion. The mature protein likely plays a role in endochondral bone development by permitting cartilaginous anlagen to be vascularized and replaced by bone. It may be involved also in the broad control of tissue vascularization during


development. Alternative splicing results in multiple transcript variants encoding different

secreted protein. The N-terminus of the precursor protein shares characteristics with other

isoforms. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC206635L4