

Product datasheet for RC206689L1V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

GCS1 (MOGS) (NM_006302) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: GCS1 (MOGS) (NM 006302) Human Tagged ORF Clone Lentiviral Particle

Symbol: MOGS

Synonyms: CDG2B; CWH41; DER7; GCS1

Mammalian Cell

Selection:

None

Vector: pLenti-C-Myc-DDK (PS100064)

Tag: Myc-DDK
ACCN: NM 006302

ORF Size: 2511 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC206689).

•

Sequence:

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeg: NM 006302.2

 RefSeq Size:
 2910 bp

 RefSeq ORF:
 2514 bp

 Locus ID:
 7841

 UniProt ID:
 Q13724

 Cytogenetics:
 2p13.1

Domains: Glyco_hydro_63

Protein Families: Druggable Genome, Transmembrane





GCS1 (MOGS) (NM_006302) Human Tagged ORF Clone Lentiviral Particle - RC206689L1V

Protein Pathways: Metabolic pathways, N-Glycan biosynthesis

MW: 91.9 kDa

Gene Summary: This gene encodes the first enzyme in the N-linked oligosaccharide processing pathway. The

enzyme cleaves the distal alpha-1,2-linked glucose residue from the Glc(3)-Man(9)-GlcNAc(2) oligosaccharide precursor. This protein is located in the lumen of the endoplasmic reticulum. Defects in this gene are a cause of type IIb congenital disorder of glycosylation (CDGIIb). Two transcript variants encoding different isoforms have been found for this gene. [provided by

RefSeq, Mar 2009]