

Product datasheet for RC206751

PHLDA3 (NM_012396) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
 Product Name: PHLDA3 (NM_012396) Human Tagged ORF Clone
 Tag: Myc-DDK
 Symbol: PHLDA3
 Synonyms: TIH1
 Mammalian Cell Selection: Neomycin
 Vector: pCMV6-Entry (PS100001)
 E. coli Selection: Kanamycin (25 ug/mL)
 ORF Nucleotide Sequence: >RC206751 ORF sequence
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCCCGGATCGCC

ATGACGGCGGGCGACGGCTACCGTGCTCAAGGAGGGCGTGCTGGAGAAGCGCAGCGGGGGCTGCTGC
 AGCTGTGGAAGCGGAAGCGCTGCGTCTCACCGAACCGGGCTGCAGCTCTTCGAGGCCAAGGGCACGGG
 CGGCCGGCCAAGGAGCTCAGCTTCGCCCGCATCAAGGCCGTGGAGTGCCTGGAGAGCACCGGGCGCCAC
 ATCTACTTCACGCTGGTGACCGAAGGGGGCGGCGAGATCGACTTCGGCTGCCCCCTGGAAGATCCCGGT
 GGAACGCCAGATCACCTAGGCCTGGTCAAGTTCAAGAACCAGCAGGCCATCCAGACAGTGCGGGCCCCG
 GCAGAGCCTCGGACCGGACCCCTCGTGTCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC206751 protein sequence
 Red=Cloning site Green=Tags(s)
 MTAAATATVLEKGVLEKRSGLLQLWKRKRCVLTERRGLQLFEAKGTGGRPKELSFARIKAVECVESTGRH
 IYFTLVTEGGGEIDFRCPLEDPGWNAQITLGLVKFNQQAQITVRARQSLGTGLVS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6530_g03.zip

Restriction Sites: SgfI-MluI



[View online »](#)

Cloning Scheme:


ACCN: NM_012396

ORF Size: 381 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

- Reconstitution Method:**
1. Centrifuge at 5,000xg for 5min.
 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
 3. Close the tube and incubate for 10 minutes at room temperature.
 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.

RefSeq: [NM_012396.5](#)

RefSeq Size: 1516 bp


RefSeq ORF: 384 bp

Locus ID: 23612
 UniProt ID: [Q9Y5J5](#)
 Cytogenetics: 1q32.1


Domains: PH
 MW: 13.9 kDa

Gene Summary: p53/TP53-regulated repressor of Akt/AKT1 signaling. Represses AKT1 by preventing AKT1-binding to membrane lipids, thereby inhibiting AKT1 translocation to the cellular membrane and activation. Contributes to p53/TP53-dependent apoptosis by repressing AKT1 activity. Its direct transcription regulation by p53/TP53 may explain how p53/TP53 can negatively regulate AKT1. May act as a tumor suppressor.[UniProtKB/Swiss-Prot Function]


Product images:



Circular map for RC206751



Western blot validation of overexpression lysate (Cat# [LY415793]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with RC206751 using transfection reagent MegaTran 2.0 (Cat# [TT210002]).



Coomassie blue staining of purified PHLDA3 protein (Cat# [TP306751]). The protein was produced from HEK293T cells transfected with PHLDA3 cDNA clone (Cat# RC206751) using MegaTran 2.0 (Cat# [TT210002]).