

## **Product datasheet for RC206757**

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## CARD12 (NLRC4) (NM\_021209) Human Tagged ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

Product Name: CARD12 (NLRC4) (NM\_021209) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: CARD12

Synonyms: AIFEC; CARD12; CLAN; CLAN1; CLANA; CLANB; CLANC; CLAND; CLR2.1; FCAS4; IPAF

Mammalian Cell Neomycin


Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

**Restriction Sites:** Sgfl-Mlul

Cloning Scheme:





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_021209

ORF Size: 3072 bp





#### CARD12 (NLRC4) (NM\_021209) Human Tagged ORF Clone - RC206757

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**Note:** Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 021209.4</u>

 RefSeq Size:
 3385 bp

 RefSeq ORF:
 3075 bp

 Locus ID:
 58484

 UniProt ID:
 Q9NPP4

Cytogenetics: 2p22.3

Domains: LRR

**Protein Pathways:** NOD-like receptor signaling pathway

**MW:** 116.2 kDa


**Gene Summary:** This gene encodes a member of the caspase recruitment domain-containing NLR family.

Family members play essential roles in innate immune response to a wide range of pathogenic organisms, tissue damage and other cellular stresses. Mutations in this gene result in autoinflammation with infantile enterocolitis. Alternative splicing results in multiple

transcript variants. [provided by RefSeq, Oct 2014]



# **Product images:**



Circular map for RC206757