

## Product datasheet for RC206759L4

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## RDHE2 (SDR16C5) (NM\_138969) Human Tagged Lenti ORF Clone

### **Product data:**

**Product Type:** Expression Plasmids

Product Name: RDHE2 (SDR16C5) (NM\_138969) Human Tagged Lenti ORF Clone

Tag: mGFP
Symbol: RDHE2

Synonyms: EPHD-2; RDH#2; RDH-E2; RDHE2; retSDR2

Mammalian Cell Puromycin

Selection:

**Vector:** pLenti-C-mGFP-P2A-Puro (PS100093)

E. coli Selection: Chloramphenicol (34 ug/mL)


ORF Nucleotide The ORF insert of this clone is exactly the same as(RC206759).

Sequence:

**Restriction Sites:** Sgfl-Mlul

**Cloning Scheme:** 





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_138969

ORF Size: 927 bp





### RDHE2 (SDR16C5) (NM\_138969) Human Tagged Lenti ORF Clone - RC206759L4

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** NM 138969.2, NP 620419.2

 RefSeq Size:
 3039 bp

 RefSeq ORF:
 930 bp

 Locus ID:
 195814

 UniProt ID:
 Q8N3Y7

 Cytogenetics:
 8q12.1

**Protein Families:** Druggable Genome

MW: 34.1 kDa


**Gene Summary:** This gene encodes a member of the short-chain alcohol dehydrogenase/reductase

superfamily of proteins and is involved in the oxidation of retinol to retinaldehyde. The encoded protein is associated with the endoplasmic reticulum and is predicted to contain three transmembrane helices, suggesting that it is an integral membrane protein. It recognizes all-trans-retinol and all-trans-retinaldehyde as substrates and exhibits a strong preference for NAD(+)/NADH as cofactors. Alternative splicing results in multiple transcript

variants. [provided by RefSeq, Dec 2015]



# **Product images:**



Circular map for RC206759L4