

Product datasheet for RC206760L2V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

DUSP10 (NM_007207) Human Tagged ORF Clone Lentiviral Particle

Product data:

Product Type: Lentiviral Particles

Product Name: DUSP10 (NM_007207) Human Tagged ORF Clone Lentiviral Particle

Symbol: DUSP10

Synonyms: MKP-5; MKP5

Mammalian Cell

Selection:

None

Vector: pLenti-C-mGFP (PS100071)

Tag: mGFP

ACCN: NM_007207 **ORF Size:** 1446 bp

ORF Nucleotide

The ORF insert of this clone is exactly the same as(RC206760).

Sequence:

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through

naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

RefSeq: <u>NM 007207.3</u>

 RefSeq Size:
 2680 bp

 RefSeq ORF:
 1449 bp

 Locus ID:
 11221

 UniProt ID:
 Q9Y6W6

 Cytogenetics:
 1q41

Domains: DSPc, RHOD

Protein Families: Druggable Genome, Phosphatase





DUSP10 (NM_007207) Human Tagged ORF Clone Lentiviral Particle - RC206760L2V

Protein Pathways: MAPK signaling pathway

MW: 52.6 kDa

Gene Summary: Dual specificity protein phosphatases inactivate their target kinases by dephosphorylating

both the phosphoserine/threonine and phosphotyrosine residues. They negatively regulate members of the MAP kinase superfamily, which is associated with cellular proliferation and differentiation. Different members of this family of dual specificity phosphatases show distinct substrate specificities for MAP kinases, different tissue distribution and subcellular localization, and different modes of expression induction by extracellular stimuli. This gene product binds to and inactivates p38 and SAPK/JNK. Alternative splicing results in multiple

transcript variants. [provided by RefSeq, Apr 2014]