

Product datasheet for RC206782

AK3L1 (AK4) (NM 203464) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: AK3L1 (AK4) (NM_203464) Human Tagged ORF Clone

Tag: Myc-DDK

Symbol: AK3L1

Synonyms: AK3; AK3L1; AK3L2; AK 4

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)ORF Nucleotide>RC206782 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGGCTTCCAAACTCCTGCGCGCGGTCATCCTCGGGCCGCCCGGCTCGGGCAAGGGCACCGTGAGCCAGA
GGATCGCCCAGAACTTTGGTCTCCAGCATCTCTCCAGCGGCCACTTCTTGCGGGAGAACATCAAGGCCAG
CACCGAAGTTGGTGAGATGGCAAAGCAGTATATAGAGAAAAGTCTTTTGGTTCCAGACCATGTGATCACA
CGCCTAATGATGTCCGAGTTGGAGAACAGGCGTGGCCAGCACTGGCTCCTTGATGGTTTTCCTAGGACAT
TAGGACAAGCCGAAGCCCTGGACAAAATCTGTGAAGTGGATCAGTGATCAGTTTGAATATTCCATTTGA
AACACTTAAAGATCGTCTCAGCCGCCGTTGGATTCACCCTCCTAGCGGAAGGGTATATAACCTGGACTTC
AATCCACCTCATGTACATGGTATTGATGACGTCACTGGTGAACCGTTAGTCCAGCAGGAGGATGATAAAC
CCGAAGCAGTTGCTGCCAGGCTAAGACAGTACAAAGACGTGGCAAAAACCAGTTTTGAATTATACAAGAG
CCGAGGAGTGCTCCACCAATTTTCCGGAACGGAGACGAACAAAATCTGGCCCTACGTTTACACACTTTTC
TCAAACAAGATCACACCTATTCAGTCCAAAGAAGCATAT

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATTACAAGGATGACGACGATAAGGTTTAA



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Protein Sequence: >RC206782 protein sequence

Red=Cloning site Green=Tags(s)

MASKLLRAVILGPPGSGKGTVSQRIAQNFGLQHLSSGHFLRENIKASTEVGEMAKQYIEKSLLVPDHVIT RLMMSELENRRGQHWLLDGFPRTLGQAEALDKICEVDLVISLNIPFETLKDRLSRRWIHPPSGRVYNLDF NPPHVHGIDDVTGEPLVQQEDDKPEAVAARLRQYKDVAKPVIELYKSRGVLHQFSGTETNKIWPYVYTLF SNKITPIQSKEAY

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6046 b07.zip

Restriction Sites: Sgfl-Mlul

Cloning Scheme:



| ECOR I | | | | BamHIKpnI RBS GACTGGATCCGGTACCGAGGAGA | | | | | | Kozac Consensus Sgf1 CCTGCCGCCGCGCATCGC C ATG | | | | | | | |
|----------------|-------|--|-------------------------|--|----------|--|--------------------|----------------|----------|---|----------|---------------------------|----------|----------|-----------|----------|--|
| ORF | MNN | | Mlu I ACG CGT T R | | ACG CGC | | | | c cro cr | | AAA K | Myc.Tag CTC ATC L I | | TCA S | GAA E | GAG E | |
| GAT CTG GCA GC | a aat | | ATC | CTG | GAT D | | Flag.1 AAG K | ag GAT D | GAC D | GAC D | GAT D | AAG K | GTT V | me I | F ACGG | se I | |

^{*} The last codon before the Stop codon of the ORF

ACCN: NM_203464

ORF Size: 669 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 203464.2</u>

RefSeq Size: 6887 bp
RefSeq ORF: 672 bp
Locus ID: 205

 UniProt ID:
 P27144

 Cytogenetics:
 1p31.3

Protein Families: Druggable Genome

Protein Pathways: Metabolic pathways, Purine metabolism

MW: 25.3 kDa

Gene Summary: This gene encodes a member of the adenylate kinase family of enzymes. The encoded


protein is localized to the mitochondrial matrix. Adenylate kinases regulate the adenine and guanine nucleotide compositions within a cell by catalyzing the reversible transfer of phosphate group among these nucleotides. Five isozymes of adenylate kinase have been identified in vertebrates. Expression of these isozymes is tissue-specific and developmentally regulated. A pseudogene for this gene has been located on chromosome 17. Three transcript variants encoding the same protein have been identified for this gene. Sequence alignment

suggests that the gene defined by NM_013410, NM_203464, and NM_001005353 is located on


chromosome 1. [provided by RefSeq, Jul 2008]



Product images:



Circular map for RC206782



Western blot validation of overexpression lysate (Cat# [LY402259]) using anti-DDK antibody (Cat# [TA50011-100]). Left: Cell lysates from untransfected HEK293T cells; Right: Cell lysates from HEK293T cells transfected with [RC220572] using transfection reagent MegaTran 2.0 (Cat# [TT210002]).